


EX LIBRIS E.R. BUTLER & Co.

Research Library

E. R. Sedelmyrs.



CATALOGUE No. 145

OF

BUILDERS' HARDWARE



HAMMACHER, SCHLEMMER & CO.

209 BOWERY, NEW YORK, SINCE 1848

CABINET, REFRIGERATOR AND PIANO HARDWARE, FACTORY SUPPLIES, TOOLS FOR ALL TRADES



NOTICE.

RDERS will be executed as promptly as possible and at lowest current rates consistent with quality. Our terms are net cash, 30 days, except where parties are unknown to us or have no commercial rating, in which case we ship C. O. D., and when so sent collection charges are added to the invoice, an expense which customers may save by remitting with order. Four pounds or less can be sent by mail for 1c. per ounce (always at consignee's risk), where express service is not obtainable or not desirable, but postage must be paid by consignee. Express companies will not accept C. O. D. packages where amount to be collected is less than \$1.00.

The Clearing House Association of New York City, which includes all banks, has adopted a rule compelling banks to charge exchange on out-of-town checks, and for this reason we are obliged to require our customers to remit in funds payable in New York upon which we can realize without expense.

HAMMACHER, SCHLEMMER & CO.

NEW YORK, N. Y.

BEFORE YOU ORDER

study carefully all details enumerated in the catalogue, particularly as to complete numbers and finish, also design, if special.

Any point omitted necessitates correspondence and loss of time.


We also ask our friends

NOT TO MUTILATE THIS CATALOGUE

by tearing out pages. A reference to page number and number and description of goods will always enable us to trace any item without difficulty.

HAMMACHER, SCHLEMMER & CO.

209 Bowery, New York, since 1848





INDEX

. A	B—Continued
PAGE	PAGE
Adjusters, Blind226	Boxes, Mail122
" Casement	Braces, Corner248
" Stop Bead161	" Hand Rail212
Angle Plates248	Brackets, Hand Rail213
Annunciator Wire270	* " Shelf213-216
Anti-friction Spring Hinges	Buttons, Door
Automatic Drops263	" on Plate171
Awning Hooks247	* " Push
	Butts, Ball Tipped140-142
В	" Fast Joint140
	" Iron142
Back Flaps	" Loose Pin
Balances, Sash231	" Spring, Chicago
Ball Tipped Butts140-142	" Wrought Steel143
Bar Sash Lifts	Buzzers
Barn Door Hangers236-238	
" " Rail243	C
" Sliding Door Locks 84	C
Barrel Bolts197	Cabin Door Hooks195
Bars, Shutter160-161	Casement Adjusters
Bardsley Door Checks	" Fasteners
Batteries	Catches, Cupboard173-175
Bells, Electric260-262	" Drop
Blind Adjusters	" Elbow
Tasts 221-222, 220	" Screen Door
" Hinges	" Transom
Staples200	Ceiling Hooks191-192
Blount Door Checks	Centers, Sash
Bolts, Barrel	Chain Bolts207
Chain201	" Door Fasteners204-206
D00F199	Chain, Sash230
Fiush201-202	Chains, Transom
F 00t204	Checks and Springs, Door126-129
Mortise Door200-201	Chicago Spring Butts
5asii100	Clamps, Rope245
Spring190	Closet Strikers209
Square199	Clothes Line Hooks247
Surface205	Coat and Hat Hooks186-190
Toffet indicator124	Corbin Door Checks
Bommer Floor Hinges	Cord, Sash230
" Spring Hinges132-134	Corner Braces248
* See also Fancy Design Hardware.	" Irons249

C-Continued	F—Continued
PAGE	PAGE
Corrugated Fasteners251	Fancy Flaps145-146
Cotton Rope245	Fast Joint Butts140
Crank Handles	Fasteners, Blind221-222,226
Cupboard Catches	" Casement
" Turns	" Chain Door204-206
Cut Nails254	" Corrugated
	Dasii
D	Fasts, Hold
Deadening Felt257	Felt, Deadening
Door Bolts	"Storm Sash
" Buttons	Flaps, Back
" on Plate	" Fancy
"Checks and Springs126-129	" Shutter
rasteners, Chain204-206	" Water Closet
1101ucis200-209	Floor Hinges, Bommer
111005	Flush Bolts
"Knockers .120 "Openers, Electric .264-265	" Cup Escutcheons
* " Pulls	" Sash Lifts
" Springs	Foot Bolts204
" " Electric	*Front Door Lock Sets2-18
" Stops	
Drawer Pulls	G
Drop Catches	Gate Hinges
Drops and Pins	" Hooks and Eyes
" Automatic	" Latches217-218
Dumbwaiter Fixtures244	" Locks
"Rope Clamps245	Glass Knobs
" Weights245	Glaziers' Points250
	Glue256
E	" Liquid256
Eclipse Door Checks129	
Elbow Catches	Н
Elbows, Speaking Tube271	Hand Rail Braces212
Electric Bell Outfits260	" " Brackets213
" Bells	" " Screws212
" Door Openers	Handles and Escutcheons, Lever
Tape	Lateries, Store Door 92
Electricians' Staples	Locks, Store Door89-91
Elevator Sliding Door Latches	Crank101-102
Escutcheons	Hangers, Barn Door
" Flush Cup107-108	" Parlor Door .239-241 Hardware, Fancy Design .274-283
	Harness Hooks
F	Hasps and Staples246
Faces, Ventilator216	" Hinge195-196
Fancy Design Hardware274-283	Hat and Coat Hooks186-190
* Sée also Fancy Design Hardwaré.	Hinge Hasps
	130

H—Continued	L—Continued
PAGE	PAGE
Hinges, Blind	Latches, Rim
11001, Bollimet	Night09-74
" Gate	Screen Door
" Rolled Plate	" Secret
"Spring, Anti-Friction	Letter Box Plates
"Spring, Bommer132-134	Lever Handles and Escutcheons102
" Screen Door	Lift and Lock, Sash
" Show Case138-139	Lifters, Transom
" Strap220	Lifts, Sash, Bar
" T220	" " Flush
" Wash Tray148	" " Hook
Holders, Door	Liquid Glue
Holdfasts247	*Lock Sets2-35
Hook Hinges	*Locks and Handles, Store Door85-91
Dash Lifts	Gate
Hooks and Eyes	"Mortise 45-52 "Rim, Horizontal 59-61
" Awning	" " Upright53-58
" Cabin Door	" Sliding Door
" Ceiling	" Wardrobe
" Clothes Line247	Loose Pin Butts140-142
" Coat and Hat186-190	
" Harness	M
" Sash Pull	Mail Boxes
" Speaking Tube	Manila Rope245
" Wardrobe191	Mortise Bolt Knobs 99
I	" Door Bolts
	Lateries
Indicator Bolts, Toilet	" Lock Sets
Irons, Corner	Mouthpieces
" Straight249	azodonpreces
	N
K K	Nails, Cut
Knob Spindles	" Wire
Knobs, Door96-98	Name Plates
" Glass	Numbered Thumb Tacks123
" Mortise Bolt 99	Numbers
" Shutter	
Knockers, Door120	0
Ĺ	Openers, Door, Electric264-265
	Outfits, Electric Bell260
Latch and Lock, Rim Night	
Latches and Handles, Store Door 92	P
" Gate	Padlocks 95
Mortise64-68	Panel Points
* See also Fancy Design Hardware.	Paper, Roofing257

P—Continued	S—Continued
PAGE	PAGE
Paper, Sheathing257	Sash Lifts, Bar
Parlor Door Hangers239-241	" " Flush
Pieces, Thumb100	" " Hook
Pins, Sash	" Pins256
Plate Hinges	" Pull Hooks168
Plates, Angle248	" " Plates
" Letter Box121	" Pulleys232-234
" Name	" Weights229
* " Push and Pull	Screen Door Catches
Sash Full107	Latenes 95
1	" Spring Hinges
Points, Glaziers'	Screws, Hand Rail
Fallel250	Wood, Diass200
*Pull Plates	11011
Pulleys, Sash	Secret Latches
*Pulls, Door	*Sets, Lock
* " Storm Door	Sheathing Paper
*Push Buttons	Shelf Brackets
* " Plates	Show Case Spring Hinges
1 14405	Shutter Bars
R	" Flaps
	" Hooks and Eyes
Rail, Barn Door	" Knobs149
briding Door44-245	Signs or Name Plates
Rim Latches	Sliding Door Locks79-84
LOCK Sets30-35	" Rail242-243
20 cms, 110112011ta1	" Sheaves
" "Upright	Speaking Tube
" Latches	Spindles, Knob
Rolled Plate Hinges	Spring Bolts198
Roofing Paper	" Butts, Chicago136-137
" Tins	"Hinges, Anti-Friction
Rope Clamps, Dumbwaiter245	Bommer132-134
Rope, Cotton245	Screen Door
" Manila245	5110W Case138-139
	Springs and Checks, Door126-129
S	D001125
Sal Ammoniae	Electric
Sand Paper	" Window
Sash Balances	Square Bolts
" Bolts	
" Centers165-167	Staples
" Chain230	" '' Hooks
" Cord230	" Blind
" Fasteners	" Electricians'
" Lift and Lock	Stop Bead Adjusters
* See also Fancy Design Hardware.	Stops, Door209-211
and toney bongh marchance.	2.

S—Continued	T—Continued
PAGE	PAGE
Store Door Latches and Handles 92	Turnbuckles
* " Locks and Handles85-91	Turns, Cupboard
*Storm Door Pulls111-113	
" Sash Fixtures227	V
Straight Irons	Vertileter De
Strap Hinges	Ventilator Faces
Straps, Speaking Tube271	Ventilators
Strikers, Closet	*Vestibule Door Lock Sets3-19
Strip, Weather258-259	
Surface Bolts203	W
Switches	Wardrobe Hooks191
	" Locks
T	Wash Tray Hinges148
	Water Closet Flaps147-148
Tacks, Thumb, Numbered	Weather Strip258-259
Tape, Electric270	Weights, Dumbwaiter245
Thumb Latches	" Sash
1 1eces100	Window Springs
"Tacks, Numbered	" " Electric
T Hinges220	Wire Nails
Tins, Roofing257	Wire, Annunciator
Toilet Indicator Bolts	Wood Screws, Brass
T Plates249	" " Iron
Transom Catches	Wrought Steel Butts
" Chains170	Wrought Steel Butts145
" Lifters	
Tube, Speaking	Z
* See also Fancy Design Hardware.	Zincs for Batteries269

NUMERICAL INDEX

No.	PAGE	No.		[PAG]
4½ in.	Mortise Lock 46	2	Closet Strike	209
5 "	Rim Lock 59		Crank Handle	
6 "	" " 59		Hold Fast	24
-A.	Bardsley Door Check128		Mail Box	125
	Blount " "127	1/4	Rope Clamp	24
	Corbin " "126		Sash Chain	230
В.	Bardsley " "		Sliding Door Sheave	238
	Blount " "		Spring Hinge	139
	Corbin " "		Switch	267
	Automatic Drop263		Turnbuckle	
C.	Bardsley Door Check128	1	Weather Strip	258
	Blount " "127		" " Metallic	259
	Corbin " "	2 Spec.	Parlor Door Hanger	239
	Buzzer	3	Battery	
D.	Bardsley Door Check128		Closet Strike	
	Blount " "127		Crank Handle	
	Corbin " "126		Door Holder	
E.	Bardsley " "128		Gate Latch	218
	Blount "		Glass Knob	288
	Corbin "126		Hold Fast	247
F.	Corbin " "126		Mail Box	
H.	Buzzer263		Sliding Door Sheave	235
	Electric Bell261	1	Spring Hinge	138
0.	Blount Door Check127		Thumb Latch	94
I.	Battery		Weather Strip	
	Blind Hinge225	1 100	" Metallic	259
	Crank Handle101		Glass Knob	
	Electric Bell Outfit260			
	Gate Latch	$3\frac{1}{2}$	Chicago Blank Butt	137
	Glass Knob	4	Barn Door Rail	243
	Hold Fast247	1 10000	Glass Knob	290
	Push Plate114	1 1 1 1 1 1 1	Hinge Hasp	196
	Sash Center		Hold Fast	
	Sash Chain		Mail Box	122
	Shutter Knob		Push Plate	114
	Sliding Door Sheave235	7	Sash Center	165
	Spring Hinge		Sliding Door Sheave	235
	Stop Bead Washer161		Weather Strip	258
	Switch267		Glass Knob	
	Turnbuckle			
	Glass Knob288	5	Battery	269
1S.	" "288		Harness Hook	
$1\frac{1}{2}$	Chicago Spring Butt		Hold Fast	247
2	Battery		Knob Spindle	99



NO.	PAGE	NO.		PAGE
5	Mail Box122	11	Glass Knob	
U	Sliding Door Sheave235		Knob Spindle	
	Spring Hinge		Spring Hinge	
	" "	11D.	Glass Knob	
	Thumb Latch	11S.	66 66	
	Weather Strip258	S11	Barn Door Hanger	
5P	Door Knocker120	12		
6	Electric Bell		Glass Knob	
	Glass Knob		Harness Hook	
	Harness Hook		Sash Fastener	
	Hold Fast247	12D.	Glass Knob	
	Knob Spindle 99	12S.		288
	Weather Strip258	S12	Barn Door Hanger	236
6D.	Glass Knob	121	Mortise Latch	64
6S.	" "291	13	Barn Door Hanger	
7	" "290		Spring Hinge	
	Hold Fast247	14	Barn Door Hanger	
	Knob Spindle		Glass Knob	
	Spring Hinge		Spring Hinge	139
	Weather Strip259	14D.	Glass Knob	
	" Elastic259	14S.		
7D.	Glass Knob290	15	Barn Door Hanger	238
7S.			Knob Spindle	99
$7\frac{1}{2}$	Coat and Hat Hook188		Window Spring	162
8	" " "	16	Glass Knob	290
	Gate Latch		Window Spring	162
	Shelf Bracket215	16D.	Glass Knob	290
	Weather Strip259	16S.	" "	290
	" Elastic259	17	" "	289
8P.	Door Knocker120	17D.	" "	289
9	Gate Latch	17S.	" "	289
	Glass Knob290	18	Electric Bell	261
	Push Button		Glass Knob	
	Sheave235		Sash Center	
	Spring Hinge		Spring Hinge	
	Glass Knob290	No. of Street, Street, St.	Glass Knob	
9S.	" " 290	18S,		
10	Door Button170	19		
	Door Stop		Spring Hinge	
	Drop and Pin228		Glass Knob	
	Glass Knob	19S.	" "	
	Knob Spindle	20	Coat and Hat Hook	
	Sash Chain		Door Button	
	Sash Fastener		Knob Spindle	
=07	Shutter Knob149	20	Sash Center	
	Glass Knob	0.1	Sash Fastener	159
10S.		21	Glass Knob	
$10\frac{1}{2}$	Drawer Pull	21D.		29



NO.	PAGE	NO.		PAGE
21S.	Glass Knob	60	Fancy Flap	146
22	Knob Spindle 99	61	Loose Pin Butt	
	Sash Center	63	Door Spring	125
	Stop Bead Washer	65	Mortise Latch	
023	Sash Fastener	66N.		68
24	" "	67N.		68
25	Mortise Latch	P0691	Loose Pin Butt	141
	Rim Latch	70	Corner Brace	248
26	Letter Box Plate121		Sash Fastener	156
29	" " "	N70	Loose Pin Butt	
031	Loose Pin Butt142	71	Door Spring	125
311	Chicago Spring Butt	P071	Loose Pin Butt	
32	Rim Lock	72	Barn Door Hanger	
	Glass Knob		Door Spring	
32D.		74	Water Closet Flap	
32S.		P74	Casement Adjuster	
032	Loose Pin Butt142	75	Fancy Flap	
33	Mouthpiece		Sash Fastener	
331	Chicago Blank Butt	76	Fancy Flap	
34	Barn Door Rail243	77	Sash Pulleys	
35	" " "243	773	« «	
36	Transom Catch	78	Plate Hinge	
41	Shelf Bracket	79	Fancy Flap	
42	Rim Latch	80	Angle Plate	
042		00	Harness Hook	
43	Push Button		Iron Butt	
431	Casement Adjuster		Sash Pulley	
0433	"		Sliding Door Lock	
46	Letter Box Plate121	801	Sash Pulleys	
49	" " "121	82	Iron Butt	
50	Fancy Flap146	083	Sash Fastener	156
	Push Button	84		156
51	Door Spring	85	Clothes Line Hook	247
	Spring Hinge	086	Ceiling Hook	192
52	Blin 1 Hinge	. 87	Clothes Line Hook	247
	Door Spring	.89	Mortise Latch	64
	Hand Rail Brace212	.90	T Plate	249
	Mortise Latch 65	91	Coat and Hat Hook	186
	Mouthpiece		Water Closet Flap	148
0521	Thumb Piece	091	Coat and Hat Hook	189
53	Door Spring	92		188
$53\frac{1}{2}$	Mortise Latch	94		187
54	Blind Hinge	96	Mortise Door Bolt	201
	Drop Catch	100	Door Stop	
541	Mortise Latch		Fast Joint Butt	
T55	Shutter Bar		Hand Rail Bracket	213
59	Wardrobe Hook191		Rim Latch	69
059}	Loose Pin Butt141	01001	Hand Rail Brackets	



				PAGE
NO.	PAGE	NO.	Harness Hook	
F100	Lock Set 2	168	Coat and Hat Hook	190
101	Fast Joint Butt140	170		
	Hand Rail Bracket213	175	Mortise Latch Lock Set	90
1011	Fast Joint Butt140	M175		
$0101\frac{1}{2}$	Mortise Lock 48	P177	Sash Pulleys	
1021	Ball Tipped Butt140	$P177\frac{1}{2}$		
$102\frac{3}{4}$	" "140	P180		
103	Sash Fastener	$P180\frac{1}{2}$	******	
105	Ceiling Hook191	183	Stop Bead Adjusters	
	Ventilator216	186	Door Buttons	
$107\frac{1}{2}$	Shutter Flap144	187		
108	Coat and Hat Hook188	$187\frac{1}{2}$		
	Water Closet Flap147	189	Electric Bell	
110	Rim Latch 75	196	Door Buttons	
115	Mortise Lock 49	198	Rim Lock	
116	" " … 49	F200	Lock Set	
117	Secret Latch 76	0200	Transom Chains	
123	Coat and Hat Hook190	N0200		170
R125	Lock Set 30	205	Mortise Lock	
126	Door Opener	224	Gate Hinge	219
127	Sash Pulleys234	R225	Lock Set	31
130	Door Stop210	$229\frac{1}{2}$	Push Button	
1311	Escutcheon106	230	Door Knob	
1311	Chicago Spring Butt136	231		96
$133\frac{1}{2}$	Chicago Blank Butt137	239	Loose Pin Butt	141
134	Barn Door Hanger237	241		141
135	Sliding Door Rail243	249	Wardrobe Hook	191
136	Mortise Lock 49	250	Rim Latch	69
139	" " … 49	V250	Lock Set	5
141	Spring Bolt198	252	Gate Lock	78
142	Barn Door Hanger237	274	Gate Hinge	219
145	Spring Bolt198	M275	Lock Set	21
146	Mortise Lock 50	2761	Push Plate	115
0146	" " … 50	281	Door Spring	125
149	Door Bolt199		Mortise Lock	48
150	Door Stop211	282	Door Spring	125
V150	Lock Set 3	283		125
151	Rim Latch69	284	Sliding Door Lock	80
152	Secret Latch 76	284A.	Wrought Steel Butt	143
S0152	Lock Set	289	Loose Pin Butt	141
153	Secret Latch 76	294A.	Mortise Door Bolt	200
154	Door Opener264	295A.	Ball Tipped Butt	140
Y156	Chain Door Fast205	F300	Lock Set	
1567	Mortise Lock 48	303	Transom Lift	
158	Mouthpiece272	304		
162	Plate Hinge221	307	Sliding Door Lock	
166	Mortise Latch	309	Rim Latch	
167	Shelf Bracket215	310	Door Knob	



NO.	PAGE	NO.		PAGE
310	Rim Latch 75	4701	Rim Lock	
314	Transom Lift	472	Chain Door Fast	206
0314	" "169	M475	Lock Set	24
315	" "169	490	Rim Lock	53
D315	Sash Pull Hook168	490C.	Shelf Brackets	213
0315	Transom Lift	490N.		213
317	Coat and Hat Hook188	493	Rim Lock	55
325	Transom Lift	500	Door Knob	96
R325	Lock Set 32		Wardrobe Lock	63
326	Transom Lift	F500	Lock Set	10
0326	" "169	502	Door Pull	109
332A.	Shutter Flap	504		109
338	Transom Lift	505	Door Knob	96
344N.	Mortise Lock 52	510		96
V350	Lock Set 7		Wardrobe Lock	63
355	Rim Latch 75	$510\frac{1}{2}$		63
356	" "	512	Door Knob	96
3563	" "72	515		96
358	Push Button116		Flush Cup	108
362	Barrel Bolt197	517	Door Knob	96
366	Door Stop	R525	Lock Set	33
	Letter Box Plate121	532P.	Sash Lift	153
373	Rim Lock 60	534	Sash Fastener	157
M375	Lock Set	550	Door Knob	96
378	Rim Lock 60	V550	Lock Set	11
	Rim Latch 70	555	Door Knob	96
381	Chain Bolt207	558	Mortise Latch	68
$391\frac{1}{2}$	Wardrobe Lock	570	Sash Fastener	159
398	Push Button116	571		159
400	Flush Bolt202	573		159
	Sash Pull Plate	M575	Lock Set	25
F400	Lock Set 8	578	Sash Fastener	159
402	Rim Lock 60	582	Ceiling Hook	192
404	Sash Fastener	5851	Sheave	234
408	Barrel Bolt	589	"	236
412	Sash Pulleys	05971	Flush Cup Escutcheon	107
416	Sash Fastener	F600	Lock Set	12
422	Spring Hinge	R625	"	34
R425	Lock Set	626	Rim Lock	59
4331	Sash Fastener	V650	Lock Set	13
434	" "157	06541	Mortise Door Bolt	200
437	Rim Lock 60	674	Cabin Door Hook	195
439	Sash Fastener	M675	Lock Set	26
D443	Screen Door Catch181	676	Cabin Door Hook	
P4481	" " "181	678		195
V450	Lock Set 9	686	Ceiling Hook	
459	Rim Lock	690	Shelf Brackets	
100	Chair Door Foot	17700	Look Sot	14



NO.	PAGE	NO.	PAGE
R725	Lock Set 35	999	Angle Plate248
742	Rim Latch 74	10151	Mortise Latch 64
V750	Lock Set	1026	Flush Bolt202
762	Cabin Door Hook195	1028	
773	" " "195	1050	Surface Bolt203
M775	Lock Set 27	1054	
782	Rim Latch and Lock 62	1084	Barrel Bolt197
790	Shelf Brackets213	10854	Mortise Lock 45
792	" "	1088	Square Bolt199
800	Wrought Steel Butt143	1090	" "199
800P.	Sash Pull Plate 167	1092	Sliding Door Lock Set 81
F800	Lock Set	1100	81
804	Wrought Steel Butt143	1102	Spring Bolt198
814	Back Flap144	1104	Flush Sash Lift
816	" "	1105	
823	Loose Pin Butt141	1108	Barrel Bolt197
838	Wrought Steel Butt143	1115x	
840	" " "	181	S. D. Lock and Handle 87
841	Push Plate114	1115x	Di Di Both and Handle Hilling
842	Shutter Flap	183	88
V850	Lock Set	01115x	
851	Pull Plate114	0181	36
M875	Lock Set	P11153	S. D. Handle and Latch 92
900	Strap Hinge220	11311	Escutcheon
F900	Lock Set	P1137	Door Pull
902	Strap Hinge220	P1144	" "
904	T Hinge	P1145	" "110
906	" "	P01155	" " 109
908	" "	P1160	" "111
912	Hinge Hasp195	1161	Shutter Knob149
914	Shutter Bar	P1168	Door Pull
R937	" "	P11771	Sash Pulleys232
N937	" "	P11773	" "
9371	" "	P11801	
940	Blind Hinge	P11803	
P940	Coat and Hat Hook186	1220	Sliding Door Latch
941J.	Hinge Hasp	1223	Eclipse Door Check129
V950	Lock Set	1225	" " "129
K9611	Rim Lock 53	01225	Drawer Pull
962	53	01226	
9661	., ., ., ., ., .,	1229	100
M975	Lock Set	012381	Cupboard Catch
9861	Flush Cup Escutcheon 107	1240	Coat and Hat Hook
0987	" " … 108	01241	Mortise Lock
09893	" " " … 107	12413	Drawer Pull
995	Straight Iron249	01242	180
996	Corner Iron249	12421	
997	Corner Brace248	012421	Mortise Lock .,
			984



NO.	PAGE	NO.		PAGE
1243	Push Button	1411	Arlington. Push Button	277
1244	" "117			283
1245	" "117			279
012471	Mortise Latch285			275
1250	Push Button			281
1251	Eclipse Door Check129	1411}	Push Button	
1253	" " "	14114	rush Button	
1255		1427		
	Push Button117 .	N1427	Sash Fastener	
12563		R1427	•••••••	
1270	Cupboard Catch		***************************************	
1271		14271	***************************************	
1285	Mortise Lock 45	1430	Fancy Flap	
1292	Sliding Door Lock Set 82	1445	Rim Lock	
1300	02	1448	" "	
1302	Strap Hinge220	P1448	Screen Door Catch	181
1304	T Hinge	1450	Rim Lock	56
1306	Sash Center	T1481A.	Chain Bolt	207
	T Hinge	T1484A.		207
P1310	Sash Pull Plate167	T1491A.	Foot Bolt	204
1312	Wash Tray Hinge148	1500	Chain Door Fast	205
1313	Back Flap144	1508	Door Knob	
P13151	Sash Pull Hook	P1510x)		
1317	Wrought Steel Butt143	P1518	Handle and Escutcheon	102
13181	Flush Sash Lift	1511	Door Knob	98
1325	Ceiling Hook191	1512		
01325	" "191	15181		
13251	" "	15191		
013251	· · · ·	1534	Shutter Knob	
N1326	Sash Fastener	1548	Mortise Bolt Knob	
1330	Sash Center	1583	Door Knob	
1331	" "	01583	" "	
13331	" "	P1618	Foot Bolt	
P1334	Letter Box Plate121	1640	Blind Hinge	
			Billiu Hinge	223
P1343	Chain Door Fast205	1640x	Hinge and Fastener	226
P1344	Letter Box Plate121	1680		
1352	Drawer Pull	1644x		226
1353	100	$1680\frac{1}{2}$ \(\)		
1354	Escutcheon103		Blind Hinge	
1358	Drawer Pull	1644		223
1359	" "184	1646	" "	223
R01359	" "	1647		225
1360	Blind Hinge223	1673	Rim Lock	59
	Drawer Pull	1678	"	55
1363	Mortise Lock 47	1680	Blind Fasteners	
1365	" "	1680}		
13853	" "	1684		
1405	Sash Bolt	16841	"	
P1410	Cuphoard Turn 177		Martisa Look	994




NO.	PAGE	NO. PAGE
P1704	Hinge Hasp193	2165 Lenox. Door Pull275
1705	Mortise Latch285	2165½ Door Pull113
1714	Sash Fixtures227	2168 " "281
1716	" "227	2180½ Sash Lift
17173	Gate Lock 77	2184 " "
1718	Sash Fixtures227	F2200 Lock Set
P1725	Door Stop211	2209 Door Pull112
	Toilet Indicator Bolt124	2215 Flush Sash Lift
P1761	Sash Pull Hook	$2241\frac{1}{2}$ Cupboard Turn
1818		2242½ " "
1840	Sash Lift	V2250 Lock Set
P1867	Flush Bolt201	
1883	Door Buttons	
1883P.		2265½ Cupboard Catch
1893	Door Knocker120	22102
1919	Door Knob 98	22/12
	Mortise Bolt Knob 99	44142113
1984	Thumb Latch 94	2276 Arlington. Push Plate277
F2000	Lock Set275	Belfort. " "283
20391	Cupboard Turn179	Colonial. " "279
V2050	Lock Set275	Concord. " "115
2092	Mortise Door Bolt201	Lenox. " "275
F2100	Lock Set275	Quincy. " "281
21031	Drawer Pull	P2276 Push Plate114
021031	" "	2276l Concord. Push Plate
N 021031	" "183	2276 ¹ Putnam. " "
R021031	" "183	2278½ Transom Catch
21061	" "183	F2300 Lock Set
021061	" "183	9398 v)
N021063	" "183	$F_{1145\frac{1}{2}}$ S. D. Lock and Handle 91
R021061	" "183	2330 x
2107	" "183	F1145½ (" " " "277
02107	" "	Arlington
N02107	" "183	2330 x
R02107	" "183	F1145% (" " " " 283
2117	Handle and Escutcheon102	Belfort
21171	Crank Handle	D92203 #
21443	Door Bolt199	F1145 (" " " 89
2146	Thumb Piece	2340 x
2147	" "100	1545½ (" " " "279
02148}	" "100	Colonial
4 58 65 65 65		2340 x)
	Took Cot	
V2150	Lock Set	
02160	Casement Fastener162	1545\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
02160 02161	Casement Fastener162 '' ''163	1545½ (" " " " 90 Concord
02160 02161 02162	Casement Fastener .162 "" .163 "" .163 "" .163	1545½ (" " " 90 Concord (2341 x) " " " 281
02160 02161 02162 2165	Casement Fastener .162 " " .163 " " .163 Arlington. Door Pull .277	1545½ (" " "90 Concord 2341 x (" " "281
02160 02161 02162 2165 A	Casement Fastener .162 " " .163 " " .163 Arlington. Door Pull .277 Belfort. " .283	1545½ (" " " "90 Concord 2341 x " " " "281 2342 x)
02160 02161 02162 2165 A	Casement Fastener .162 " " .163 " " .163 Arlington. Door Pull .277	1545½ (" " " " 90 Concord 2341 x (" " " " 281 1545½ (" " " " 281



NO.	PAGE	No.		PAGE
2342 x	1	3042	Cupboard Turn	
1545	S. D. Lock and Handle283	N3042		
Belfort	(5. 5. 2001 und 22010	3052	Screen Door Catch	
2342 x		N31041	Escutcheon	
15451	(" " " " 279			
Colonial		N3861	S. D. Lock and Handle	85
2342 x	}	R3126½ x	7	
1545	(" " "275	·R3861	{ · · · · · · · · · · · · · · · · · · ·	85
Lenox		3170	Shutter Knob	149
V2350	Lock Set277	3190	Sash Lift	
2356	Flush Bolt202	3196	Flush Sash Lift	
2362	" "	3202	Door Pull	110
2392	Sliding Door Latch 83	3203		110
2397	Door Pull	3208		110
02397	" "112	3249	Rim Lock	59
F2400	Lock Set	3250	Foot Bolt	204
V2450	" "	N3253	Chain Bolt	207
2454	Escutcheon	3264	Chain Door Fast	
F2500	Lock Set279	N3264		204
V2550	" "279	3270	Cupboard Catch	
02562	Escutcheon104	3271	" "	173
$02562\frac{1}{4}$	"104	3278	Transom Catch	
02570	104	3279		179
25711	"104	3313	Sash Lift	154
$2582\frac{1}{4}$	"104	3358	Drawer Pull	
$2582\frac{1}{2}$	"104	3359	" " …	184
2588	"104	3360	" " …	
2589	"104	3366	Bar Sash Lift	
25891	"104	3395		
$2590\frac{1}{2}$	- "103	N3470½	Rim Lock	
$2596\frac{1}{2}$	"103	N03523	Door Knob	
F2600	Lock Set281	N03570	Escutcheon	
F2650	" "281	N3700	Door Knob	
2663	Escutcheon	N3700½	***************************************	
2664		3860	Door Holder	
F2700	Lock Set	N3860	*********	
V2750	401	R3860	********	
F2800		N39714	Escutcheon	
V2850		04131	Padlock	
2872	Coat and Hat Hook	T4230	Cupboard Turns	
2884	Flush Sash Lift	T4234	Door Holder	
F2900	Lock Set	Y4234		
F2950		43131	Lift and Lock	
3020	Shutter Bar	4316		
3029 3030	Cupboard Catch	4978	Rim Latch	
3030	" "	$05118\frac{1}{2}$ 5123	Escutcheon	
N3041	" "	5123	Door Knob	
110041		0000	DOOL PHOD	97



NO.	PAGE	NO.	PAGI
5331	Door Knob 97	R11840	Sash Lift15
5334	Push Button	N12029	Cupboard Catch17
5400	Door Knob 97	N12030	" "17
5401	" " … 97	R12030	
5402	Escutcheon	12250	Door Pull10
54021	"106	N13029	Cupboard Catch17
$5402\frac{1}{2}$		N13030	
5404	Push Button	R13030	
54081	Escutcheon103	N13039	Cupboard Turn179
5490	Door Knob 97	R13039	" "179
5491	" "	N13041	" "17
5492	Escutcheon	R13041	
54921	"105	N13042	
5494	Push Button	R13042	
54981	Escutcheon	N13047	Cupboard Turns
$05498\frac{1}{2}$		R13047	
5770	Bar Sash Lift	N13100	Sliding Door Lock Set 8
5866P.	Screen Door Latch 93	R13100	8:
5978	Rim Latch 70	N13270	Cupboard Catch
6300	Elbow Catch	N13271	
$6300\frac{1}{2}$	" "	N13272	
63501	Cupboard Catch175	R13272	
6500	Elbow Catch	N13278	Transom Catch
9296	Bar Sash Lift	N13313	Lift and Lock
N11270	Cupboard Catch175	180733	Lock Set 29
N11271	"	69158	Rim Lock 58
N11596	Shutter Knob	N101242	Drawer Pull



View from Outside.

HAND OF DOORS.

The cut and descriptions on this page conform as nearly as possible to the general usage of the trade, and apply to all the Locks in this Catalogue.


In ordering Locks (except those that are reversible), it is


IMPORTANT THAT THE HAND OF DOOR BE GIVEN.

CUT	KIND OF DOOR	KIND OF LOCKS
1	Right Hand.	Right Hand Locks.
2	Right Hand Reverse Bevel.	Right Hand Reverse Bevel Rim Locks. """ "Night Latches. """ "Mortise Night Latches. Left "Mortise Knob Locks.
3	Left Hand.	Left Hand Locks.
4	Left Hand Reverse Bevel.	Left Hand Reverse Bevel Rim Locks. """ "Night Latches. """ "" Mortise Night Latches. Right "Mortise Knob Locks.




FRONT DOOR LOCK SETS.













No. 1230. Lock.


No. 25961/2. Escutcheon.


Set No. Froo.




VESTIBULE DOOR LOCK SETS.

(One-half-size Cuts.)






No. 1220. Lock.



No. 1583. Knob. No. 2589½. Escutcheon.

Set No. V150.






Set No. F200.

Escutcheon. No. 5492.

VESTIBULE DOOR LOCK SETS.


(One-half-size Cuts.)

DESIGN "WROUGHT REGAL."





No. 12201/4. Lock.




No. 5491. Knob.

No. 54921/4. Escutcheon.

Set No. V250.










No. 12301/4. Lock.

Set No. F300.




No. 5331. Knob. No. 5332. Escutcheon.



VESTIBULE DOOR LOCK SETS.


(One-half-size Cuts.)

DESIGN "COMO."





No. 12201/4. Lock.



No. 5331. Knob. Escutcheon.


Set No. V350.



FRONT DOOR LOCK SETS.


(One-half-size Cuts.)

DESIGN "PARTHENON."





No. 5408½. Escutcheon.



No. 12301/4. Lock.

Set No. F400.




No. 5401. Knob. No. 54021/2. Escutcheon.



VESTIBULE DOOR LOCK SETS.

(One-half-size Cuts.)

DESIGN "PARTHENON."








No. 5401. Knob. No. 5402¹/₄. Escutcheon.

Set No. V450.




FRONT DOOR LOCK SETS.





No. 12301/2. Lock.



Knob. No. 1518½. No. 2589. Escutcheon.




Set. No. F500. No. 25961/2. Escutcheon.



VESTIBULE DOOR LOCK SETS.


(One-half-size Cuts.)



Set No. V550.




FRONT DOOR LOCK SETS.






VESTIBULE DOOR LOCK SETS.

(One-half-size Cuts.)








No. 1512. Knob. No. 2589. Escutcheon.

Set No. V650.


FRONT DOOR LOCK SETS.





VESTIBULE DOOR LOCK SETS.

(One-half-size Cuts.)




Set No. V750.

For description see page 42.



FRONT DOOR LOCK SETS.



Set No. F800.


No. 5400. Knob. No. 5402. Escutcheon.




VESTIBULE DOOR LOCK SETS.

(One-half-size Cuts.)

DESIGN "PARTHENON."





No. 5401. Knob. No. 5402½. Escutcheon.


Set No. V850.

AMMACHER SCHLEMMER TO SORK.




(One-half-size Cuts.)

DESIGN "PUTNAM."



Set No. F900.




No. P003644½. Knob. No. 1382¼. Escutcheon.



VESTIBULE DOOR LOCK SETS.

(One-half-size Cuts.)

DESIGN "PUTNAM."




Set No. V950.


No. Po3644½. Knob. No. 1385¼. Escutcheon.



(One-half-size Cuts.)








No. N3700. Knob. No. N3971¹/₄. Escutcheon.

Set No. M175.




(One-half-size Cuts.)




Set No. M275.



(One-half-size Cuts.)








No. 1583. Knob. No. 02570. Escutcheon.


Set No. So152.



(One-half-size Cuts.)








No. 01583. Knob. No. No3570. Escutcheon.

Set No. M375.



(One-half-size Cuts.)


DESIGN "PUTNAM."




Set No. M475.

(One-half-size Cuts.)

DESIGN "MALDEN."








No. Poo2822. Knob. No. 1231. Escutcheon.


Set No. M575.



(One-half-size Cuts.)









No. 1519½. Knob. No. No2597½. Escutcheon.

Set No. M675.

(One-half-size Cuts.)









No. 01583. Knob. No. 2589½. Escutcheon.


Set No. M775.



(One-half-size Cuts.)








No. 1519½. Knob. No. 2589. Escutcheon.

With Lock No. 1363 Set No. M875. With Lock No. 1365 Set No. M975.


(One-half-size Cuts.)

DESIGN "CLIFTON."





No. 011541/2. Lock.




No. 00822¾. Knob. No. 131¼. Escutcheon.


Set No. 1807334.



(One-half-size Cuts.)








No. N₃₇00½. Knob. No. N₃₉₇₁¼. Escutcheon.


Set No. R125.

(One-half-size Cuts.)





No. K9611/2. Lock.




No. N₃₇00½. Knob. No. N₀₃₅70. Escutcheon


Set No. R225.



(One-half-size Cuts.)

DESIGN "CLIFTON."









No. 0082234. Knob. No. 1314. Escutcheon.


Set No. R325.



(One-half-size Cuts.)









No. 230. Knob. No. 2571¼. Escutcheon.


With No. 962 Lock Set No. R425. With No. 470½ Lock Set No. R525.



(One-half-size Cuts.)









No. 01583. Knob. No. 02570. Escutcheon.


Set No. R625.



(One-half-size Cuts.)







No. 1583. Knob. No. 02570. Escutcheon.

Set No. R725.

Set No. F100. 1 Lock No. 1230. 4\% x 3\% in. Wrought Bronze Front and Strike, Bronze Bolts; 1 Tumbler and 16 Changes on Latch Bolt, with 2 Nickel-plated Steel Night Keys and 1 Nickel-plated Steel Night Keys and 1 Nickel-plated Steel From Front to Center of Hub, 2\% in. Reversible.

1 Pr. Knobs No. 1583. 21/4 in. Wrought Bronze, Poliched.

1 Escutcheon No. 2589. 2 x 71/4 in. Wrought Bronze, Polished.

1 Plate Escutcheon No. 2596½. Wrought Bronze, Polished.

Set No. R125. 1 Lock No. K961½. 3% x 3¼ in. Iron Bolts not polished; 1 Tumbler, 6 Changes, with Tinned Iron Key. 5% in. Hub. Distance from Front to Center of Hub, 2% in. Reversible. 1 Pr. Knobs No. N3700½. 2¼ in. Jet.

1 Escutcheon No. N3971¼. 5¾ x 1½ in. Wrought Steel, Bronze Plated.

Set No. V150. 1 Lock No. 1220. 3% x 35% in. Wrought Bronze Front and Strike, Bronze Bolt; 1 Tumbler, 16 Changes, with 2 Nickel-plated Steel Keys. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, 25% in. Reversible.

1 Pr. Knobs No. 1583. 21/4 in. Wrought Bronze, Pol-

ished

1 Escutcheon No. 2589½. 1% x 6¼ in. Wrought Bronze, Polished.

Set No. Soi52. 1 Lock No. 1285. 3¾ x 3½ in. Wrought Brass Front and Strike, Brass Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5½6 in. Hub. Distance from Front to Center of Hub, 2¾ in. Reversible.

1 Pr. Knobs No. 1583. 21/4 in. Wrought Bronze, Pol-

- 2 Escutcheons No. 02570. 1½ x 5½ in. Wrought Bronze, Polished.
- Set No. M175. 1 Lock No. 1285. 3¾ x 3½ in. Wrought Brass Front and Strike, Brass Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5½ in. Hub. Distance from Front to Center of Hub, 2¾ in. Reversible.

1 Pr. Knobs No. N3700. 21/4 in. Jet.

2 Escutcheons No. N3971¼. 5% x 1½ in. Wrought Steel, Bronze Plated.

Set No. F. 200.

"Wrought Regal" Design. 1 Lock No. 1230¼. 45% x 35% in. Bronze Front, Strike, and Bolts; 1 Tumbler and 16 Changes on Latch Bolt, with 2 Nickel-plated Steel Night Keys and 1 Main Key. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, 25% in. Reversible.

½ Pr. Knobs No. 5490. 2½ in. ½ Pr. Knobs No. 5491.

21/4 in. Both Wrought Bronze, Polished.

- 1 Escutcheon No. 5492. 3 x 10 in. Wrought Bronze, Polished.
- 1 Plate Escutcheon No. 5498½. Wrought Bronze, Polished.
- Set No. R225. 1 Lock No. K961½. 37% x 3¼ in. Iron Bolts, not Polished; 1 Tumbler, 6 Changes, with Tinned Iron Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2% in. Reversible. 1 Pr. Knobs No. N3700½. 2¼ in. Jet.

1 Escutcheon No. N03570. 1½ x 5½ in. Wrought Steel,

Bronze Plated.

Set No. V250. "Wrought Regal" Design. 1 Lock No. 1220¼. 3¾ x 3¾ in. Bronze Front, Strike, and Bolt; 1 Tumbler, 16 Changes, with 2 Nickel-plated Steel Keys. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, 2¾ in. Reversible.

1 Pr. Knobs No. 5491. 21/4 in. Wrought Bronze, Pol-

ished.

1 Escutcheon No. 5492 $\frac{1}{4}$. 7 x $2\frac{1}{2}$ in, Wrought Bronze, Polished.

- Set No. M275. 1 Lock No. 1285. 3¾ x 3⅓ in. Wrought Brass Front and Strike, Brass Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5¼6 in. Hub. Distance from Front to Center of Hub, 2¾ in. Reversible.
 - Center of Hub, 2% in. Reversible.

 1 Pr. Knobs No. 230. 2¼ in. Ash, Oak, or Cherry.

 2 Escutcheons No. 2571¼. 1½ x 5% in. Wrought Bronze, Polished.

Set No. F300. "Como" Design. 1 Lock No. 12304. 4% x 3% in. Bronze, Antique Copper Finish, Front Strike, and Bolts; 1 Tumbler and 16 Changes on Latch Bolt, with 2 Nickel-plated Steel Night Keys and 1 Main Key. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, 2% in. Reversible.

½ Pr. Knobs No. 5330. 2½ in. ½ Pr. Knobs No. 5331. 2¼ in. Both Wrought Bronze, Antique Copper Finish. 1 Escutcheon No. 5332. 2% x 10½ in. Wrought Bronze,

Antique Copper Finish.

1 Plate Escutcheon No. 5338½. Wrought Bronze, Antique Copper Finish.

Set No. R₃₂₅. "Clifton" Design. 1 Lock No. 442. 4 x 3¼. Iron Bolts,
Tinned Malleable Iron Key; with Stop. $\frac{5}{16}$ in. Hub. Distance from Front to Center of Hub, 2% in. Reversible.

1 Pr. Knobs No. 00822¾. 2¼ in. Wrought Steel,
Antique Copper Finish.

1 Escutcheon No. 1314. 5% x 1% in. Wrought Steel,

Antique Copper Finish.

Set No. V350. "Como" Design. 1 Lock No. 1220¼. 3% x 3% in. Bronze, Antique Copper Finish, Front, Strike, and Bolt; 1 Tumbler, 16 Changes, with 2 Nickel-plated Steel Keys. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, 25% in. Reversible.

1 Pr. Knobs No. 5331. 21/4 in. Wrought Bronze, Antique

Copper Finish.

1 Escutcheon No. 5332¼. 2% x 7% in. Wrought Bronze, Antique Copper Finish.

Set No. M₃₇₅. 1 Lock No. 1285. 3¾ x 3⅓ in. Wrought Brass Front and Strike, Brass Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5½ in. Hub. Distance from Front to Center of Hub, 2¾ in. Reversible.

1 Pr. Knobs No. 01583. 21/4 in. Wrought Bronze, Pol-

ished.

2 Escutcheons No. N03570. 1½ x 5½ in. Wrought Steel, Bronze Plated.

Set No. F400. "Parthenon" Design. 1 Lock No. 123014. 45% x 35% in.

Bronze, Antique Copper Finish, Front, Strike, and Bolts;
1 Tumbler and 16 Changes on Latch Bolt, with 2 Nickelplated Steel Night Keys and 1 Main Key. Hub for 5/16
in. Swivel Spindle. Distance from Front to Center of
Hub, 25% in. Reversible.

1 Pr. Knobs No. 5401. 21/4 in. Cast Bronze, Antique

Copper Finish.

1 Escutcheon No. 5402½. 8 x 2½ in. Cast Bronze,

Antique Copper Finish.

1 Plate Escutcheon No. 5408½. Cast Bronze, Antique Copper Finish.

Set No. R425. 1 Lock No. 962. 3% x 3¼ in. Iron Bolt, Polished; 1 Tumbler, 6 Changes, with Nickel-plated Steel Key. $\frac{5}{16}$ in. Hub. Distance from Front to Center of Hub, 2% in. Reversible.

1 Pr. Knobs No. 230. 2¼ in. Ash, Oak, or Cherry. 1 Escutcheon No. 2571¼. 1½ x 5¾ in. Wrought Bronze, Polished.

Set No.V450. "Parthenon" Design. 1 Lock No. 1220¼. 3% x 35% in.

Bronze, Antique Copper Finish, Front, Strike, and Bolt;
1 Tumbler, 16 Changes, with 2 Nickel-plated Steel Keys.

Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, 2% in. Reversible.

1 Pr. Knobs No. 5401. 2¼ in. Cast Bronze, Antique

Copper Finish.

1 Escutcheon No. 5402¼. 6% x 2¼ in. Cast Bronze, Antique Copper Finish.

Set No. M475. "Putnam" Design. 1 Lock No. 01199½. 3½ x 3¼ in. Bronze Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub. 2-9 in. Reversible.

from Front to Center of Hub, $2\frac{9}{16}$ in. Reversible.

1 Pr. Knobs No. P003622½. $2\frac{1}{2}$ in. Bronze, Polished.

2 Escutchens No. 1131¼. $7\frac{1}{8}$ x $2\frac{1}{8}$ in. Wrought

Bronze, Polished.

1 Lock No. 12301/2. Bronze Front, Strike, Bolt, and Patent Set No. F500. Reversible, Anti-Friction Latch; 1 Tumbler and 8 Changes on Latch Bolt, with 2 Nickel-plated Steel Night Keys and 1 Main Key. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, $2\frac{11}{16}$ in.

½ Pr. Knobs No. 1518½. 2½ in. ½ Pr. Knobs No.

15191/2. 21/4 in. Both Bronze Polished.

1 Escutcheon No. 2589. 2 x 71/4 in. Wrought Bronze,

- 1 Plate Escutcheon No. 25961/2. Wrought Bronze, Polished.
- 1 Lock No. 4701/2. 4 x 31/2 in. Brass Bolts; 1 Tumbler, 12 Set No. R525. Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 21/2 in. Reversible.

1/2 Pr. Knobs No. 230. 21/4 in. Ash, Oak, or Cherry.

- ½ Pr. Knobs No. N3700½. 2¼ in. Jet. 1 Escutcheon No. 2571¼. 1½ x 5¾ in. Wrought Bronze, Polished.
- 1 Lock No. 12201/2. 35/8 x 35/8 in. Bronze Front, Strike, and Set No. V550. Patent Reversible, Anti-Friction Latch; 1 Tumbler, 8 Changes, with 2 Nickel-plated Steel Keys. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, $2\frac{11}{16}$ in.

1 Pr. Knobs No. 15191/2. 21/4 in. Bronze, Polished. 1 Escutcheon No. 25891/2. 1% x 61/8 in. Wrought

Bronze, Polished.

"Malden" Design. 1 Lock No. 011991/2. 31/2 x 31/4 in. Set No. M575. Bronze, Antique Copper Finish Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, $2\frac{69}{16}$ in. Reversible.
1 Pr. Knobs No. P002822. 21/4 in. Iron, Antique Copper

Finish.

2 Escutcheons No. 1231. 9\% x 2\% in. Iron, Antique Copper Finish.

Set No. F600. 1 Lock No. 1350. 5¾ x 3¾ in. Bronze, Front, Strike, Bolt, and Patent Anti-Friction Latch; 3 Tumblers and 40 Changes on Latch Bolt, with 2 Nickel-plated Steel Night Keys; 1 Tumbler on Main Bolt, with Nickel-plated Steel Key. Hub for ¾ in. Swivel Spindle. Distance from Front to Center of Hub, 2¾ in. In ordering, state Hand required.

½ Pr. Knobs No. 1511. 2½ in. ½ Pr. Knobs No. 1512.

2¼ in. Both Cast Bronze, Polished.

1 Escutcheon No. 2588. 2½ x 9½ in. Wrought Bronze, Polished.

1 Plate Escutcheon No. 2590½. Wrought Bronze, Polished.

Set No. R625. 1 Lock No. 470½. 4 x 3½ in. Brass Bolts, 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5½6 in. Hub. Distance from Front to Center of Hub, 2½ in. Reversible.

½ Pr. Knobs No. 01583. 2¼ in. Wrought Bronze, Pol-

ished.
½ Pr. Knobs No. N3700½. 2¼ in. Jet.

- l Escutcheon No. 02570. 1½ x 5½ in. Wrought Bronze, Polished.
- Set No. V650. 1 Lock No. 1340. 4½ x 35% in. Bronze, Front, Strike, and Patent Anti-Friction Latch; 3 Tumblers, 40 Changes, with 2 Nickel-plated Steel Keys. Hub for 3% in. Swivel Spindle. Distance from Front to Center of Hub, 25% in. In ordering, state Hand required.

1 Pr. Knobs No. 1512. 2¼ in. Cast Bronze, Polished. 1 Escutcheon No. 2589. 2 x 7½ in. Wrought Bronze,

Polished.

- Set No. M675. 1 4½ in. City Lock. 4½ x 3½ in. Brass Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 25/8 in. Reversible.
 - 1 Pr. Knobs No. 1519½. 2¼ in. Bronze, Polished. 2 Escutcheons No. N02597½. 2 x 5¾ in. Wrought Steel, Bronze Plated.

Set No. F700.

1 Lock No. 1345. 6¾ x 4 in. Bronze Front, Strike, Bolt, Cylinder, Thumb Knob, and Patent Anti-Friction Latch. 3 German Silver Keys. Hub for ¾ in. Swivel Spindle. Distance from Front to Center of Hub, 3 in. In ordering, state Thickness of Door, also Hand required.

½ Pr. Knobs No. 1511. 2½ in. ½ Pr. Knobs No. 1512.

21/4 in. Both Cast Bronze, Polished.

- 1 Escutcheon No. 2582¼. 278 x 10 in. Cast Bronze, Polished.
- Set No. R725. 1 Lock No. 962. 37% x 31/4 in. Iron Bolt, Polished, 1 Tumbler, 6 Changes, with Nickel-plated Steel Key. 51/6 in. Hub. Distance from Front to Center of Hub, 23/8 in. Reversible.

½ Pr. Knobs No. 1583. 2¼ in. Wrought Bronze, Pol-

ished.

½ Pr. Knobs No. N3700½. 2¼ in. Jet.

1 Escutcheon No. 02570. 1½ x 5½ in. Wrought Bronze, Polished.

Set No. V750. · 1 Lock No. 1339. 5 x 4 in. Bronze Front, Strike, Cylinder, and Patent Anti-Friction Latch. 3 German Silver Keys. Hub for % in. Swivel Spindle. Distance from Front to Center of Hub, 3 in. In ordering, state Thickness of Door, also Hand required.

1 Pr. Knobs No. 1512. 2¼ in. Cast Bronze, Polished. 1 Escutcheon No. 2582½. 25% x 8 in. Cast Bronze,

Polished.

Set No. M775. 1 4½ in. City Lock. 4½ x 3½ in. Brass Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 25/2 in. Reversible.

1 Pr. Knobs No. 01583. 21/4 in. Wrought Bronze, Pol-

ished.

2 Escutcheons No. 2589½. 1% x 6½ in. Wrought Bronze, Polished.

Set No. F800. "Parthenon" Design. 1 Lock No. 1345. 6¾ x 4 in. Bronze, Antique Copper Finish, Front, Strike, Bolt, Cylinder, Thumb Knob, and Patent Anti-Friction Latch. 3 German Silver Keys. Hub for ¾ in. Swivel Spindle. Distance from Front to Center of Hub, 3 in. In ordering, state Thickness of Door, also Hand required.

½ Pr. Knobs No. 5400. 2½ in. ½ Pr. Knobs No. 5401. 2¼ in. Both Cast Bronze, Antique Copper Finish.

1 Escutcheon No. 5402. 9½ x 2% in. Cast Bronze, Antique Copper Finish.

Set No. V850. "Parthenon" Design. 1 Lock No. 1339. 5 x 4 in. Bronze,
Antique Copper Finish, Front, Strike, Cylinder, and
Patent Anti-Friction Latch. 3 German Silver Keys.
Hub for % in. Swivel Spindle. Distance from Front to
Center of Hub, 3 in. In ordering, state Thickness of
Door, also Hand required.

1 Pr. Knobs No. 5401. 2¼ in. Cast Bronze, Antique Copper Finish.

1 Escutcheon No. 5402½. 8 x 2% in. Cast Bronze, Antique Copper Finish.

Set No. M875. 1 Lock No. 1363. 4½ x 3½ in. Bronze Front, Strike, and Bolts; I Tumbler, 24 Changes, with Nickel-plated Steel Key. 5½6 in. Hub. Distance from Front to Center of Hub, 2¾ in. Reversible.

1 Pr. Knobs No. 1519½. 2¼ in. Bronze, Polished. 2 Escutcheons No. 2589. 2 x 7¼ in. Wrought Bronze, Polished.

Set No. Fgoo. "Putnam" Design. 1 Lock No. 1500½. 4¾ x 3¾ in. Bronze Front, Strike, Bolts, and Cylinder. Hub for 5/16 in. Swivel Spindle. Distance from Front to Center of Hub, 2% in. 3 German Silver Keys. Reversible. In ordering, state Thickness of Door.

1 Pr. Knobs No. P003644½. 3 x 2½ in. Cast Bronze, Polished.

1 Escutcheon No. 1382¼. 3½ x 10½ in. Wrought Bronze, Polished.

1 Escutcheon No. 1383%. 7½ x 2½ in. Wrought Bronze, Polished. With Thumb Knob.

Set No. V950. "Putnam" Design. 1 Lock No. 1505½. 4½ x 3¾ in.
Bronze Front, Strike, Bolt, and Cylinder. 3 German Silver
Keys. Hub for 5½ in. Swivel Spindle. Distance from
Front to Center of Hub, 2½ in. Reversible. In ordering,
state Thickness of Door.

1 Pr. Knobs No. P036441/2. 21/2 in. Cast Bronze, Pol-

ished.

1 Escutcheon No. 1385 $\frac{1}{4}$. 9 $\frac{1}{8}$ x 2 $\frac{3}{4}$ in. Wrought Bronze, Polished.

Set No. M975. 1 Lock No. 1365. Having 3 Tumblers and 48 Changes. Otherwise as Set No. M875.

Set No. 18073¾. "Clifton" Design. 1 Lock No. 01154½. 3½ x 3½ in. Bronze, Antique Copper Finish, Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2½ in. Reversible.

1 Pr. Knobs No. 0082234. 214 in. Steel, Antique Cop-

per Finish.

2 Escutcheons No. 131¼. 5¾ x 1% in. Steel, Antique Copper Finish.

STORE DOOR LOCKS AND HANDLES

ARE SHOWN ON PAGES 85 TO 92.

FANCY DESIGN HARDWARE.


VESTIBULE DOOR,
STORE DOOR, AND
STORM DOOR

HARDWARE.

IS SHOWN ON PAGES 274 TO 283.

MORTISE KNOB LOCKS.

(One-half-size Cuts.)



No. 1285. 3¾ x 3½ in. Wrought Brass Front and Strike, Brass Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2½ in.

No. 1085¼. 3¾ x 3½ in. Cast Brass Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. $\frac{5}{16}$ in. Hub. Distance from Front to Center of Hub, 25% in.

To change Hand, take off Cap Plate and reverse Latch.


No. 1385%. $3\% \times 3\%$ in. Cast Brass Front, Strike, and Bolts; 3 Tumblers, 36 Changes, with Nickel-plated Steel Key. $5\%_{16}$ in. Hub. Distance from Front to Center of Hub, $2\frac{9}{15}$ in.

To change Hand, draw out Slide in Top of Case and reverse Latch.



MORTISE KNOB LOCKS.

(One-half-size Cuts.)



No. 4½ in. City. 4½ x 3½ in. Brass Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5½6 in. Hub. Distance from Front to Center of Hub, 25% in.


No. 1240. 5 x 3½ in. Brass Front, Strike, and Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2½ in.

To change Hand, take off Cap Plate and reverse Latch.



MORTISE KNOB LOCKS.

(One-half-size Cuts.)



Nos. 1363 and 1365.

No. 1363. 4½ x 3½ in. Bronze Front, Strike, and Bolts; 1 Tumbler, 24
Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance
from Front to Center of Hub, 2¾ in.

No. 1365. As No. 1363, but having 3 Tumblers and 48 Changes.


To change Hand, take off Cap Plate and reverse Latch.



MORTISE KNOB LOCKS.

FOR NARROW STILE DOORS AND FRENCH WINDOWS.

(One-half-size Cuts.)



No. 0101½. 3½ x 1½ in. Brass Front, Strike, and Bolts; 1 Tumbler, 6 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 1 in.


No. 156%. 2% x 2¼ in. Bronze Front, Strike, and Bolts; 2 Tumblers, 8 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 11/16 in

No. 281. 4% x 2% in. Brass Front, Strike, and Bolts; 3 Tumblers, 36 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2 in.

To change Hand, take off Cap Plate and reverse Latch.

MORTISE DEAD LOCKS.


(One-half-size Cuts.)



- No. 115. 1% x 2% in. Brass Front, Strike, and Bolt; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. Distance from Front to Center of Keyhole, 1% in.
- No. 116. 1% x 2% in. Brass Front, Strike, and Bolt; 3 Tumblers, 36 Changes, with Nickel-plated Steel Key. Distance from Front to Center of Keyhole, 1% in.
- No. 136. $2\frac{1}{4}$ x $3\frac{1}{4}$ in. Brass Front, Strike, and Bolt; 3 Tumblers, 36 Changes, with Nickel-plated Steel Key. Distance from Front to Center of Keyhole, $2\frac{9}{15}$ in.
- No. 139. 2% x 2% in. Brass Front, Strike, and Bolt; 3 Tumblers, 18 Changes, with Nickel-plated Steel Key. Distance from Front to Center of Keyhole, $1\frac{1}{16}$ in.

MORTISE STORE DOOR DEAD LOCKS.

(One-half-size Cuts.)




No. 146. 3 x 3½ in. Bronze Front, Strike, Escutcheon, and Bolt; 5
Tumblers, 75 Changes, with 2 Nickel-plated Flat Steel Keys.
Distance from Front to Center of Keyhole, 2% in.

No. 0146. 2½ x 3 in. Bronze Front, Strike, Bolt, and Escutcheon; 3
Tumblers, 36 Changes, with 2 Nickel-plated Flat Steel Keys.
Distance from Front to Center of Keyhole, 2 in.



MORTISE STORE DOOR DEAD LOCKS.

(One-half-size Cuts.)




No. 205. 2½ x 3 in. Bronze Front, Strike, and Bolt; 4 Tumblers, 36 Changes, with 2 Flat Steel Keys and 2 Bronze Escutcheons. Distance from Front to Center of Keyhole, 1¾ in.



YALE MORTISE DEAD LOCKS.

(One-half-size Cuts.)




No. 344N. 2% x 3½ in. Bronze (Armored) Front, Strike, Bolt, and Cylinder; Changes unlimited, with 3 Paracentric Keys. Distance from Front to Center of Keyhole, 2½ in. In ordering, state Thickness of Door.

For either Right or Left Hand Doors.

UPRIGHT RIM KNOB LOCKS.

(One-half-size Cuts.)





Style of No. K9611/2.


- No. 459, 35% x 2¼ in. Brass Bolts, 1 Tumbler, 12 Changes, with Brass Key. 5/16 in. Hub. Distance from Front to Center of Hub, 1½ in.
- No. K961½. 3% x 3¼ in. Iron Bolts not Polished; 1 Tumbler, 6 Changes, with Tinned Iron Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2% in.
- To change Hand, take off Cap Plate and reverse Latch.

Style of No. 962.

- No. 470½. 4 x 3½ in. Brass Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. 5½ in. Hub. Distance from Front to Center of Hub, 2½ in.
- No. 490. 5 x 3% in. Brass Bolts; 1 Tumbler, 18 Changes, with Brass Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2% in.
- To change Hand, draw out Slide in Top of Case and reverse Latch.
- No. 962. 3% x 3¼ in. Iron Bolt, Polished; 1 Tumbler, 6 Changes, with Nickel-plated Steel Key. 5% in. Hub. Distance from Front to Center of Hub, 2% in.
- To change Hand, take off Cap Plate and reverse Latch.

UPRIGHT RIM KNOB LOCKS.

(One-half-size Cuts.)



No. 9661/4.

No. N34701/2.

No. 966¼. 3¾ x 3½ in. Brass-plated Wrought Steel Case and Strike, Brass-plated Iron Bolts; 1 Tumbler, 6 Changes, with Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2¾ in.


To change Hand, take off Cap Plate and reverse Latch.

No. N3470½. 4 x 3¼ in. Iron Bronzed Case, Brass Bolts; 1 Tumbler, 12 Changes, with Nickel-plated Brass Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2½ in.

To change Hand, pull out Latch and turn it half around.

UPRIGHT RIM KNOB LOCKS.

(One-half-size Cuts.)



No. 1678.


No. 493. 6½ x 4 in. Brass Bolts, Patent Stop; 1 Tumbler, 18 Changes, with Nickel-plated Steel Key. $\frac{5}{16}$ in. Hub. Distance from Front to Center of Hub, $2\frac{15}{16}$ in.

To change Hand, pull out Latch and turn it half around.

No. 1678. 65% x 35% in. Iron Bolts, 3 Tumblers, 16 Changes, with 2 Nickel-plated Steel Folding Keys. 5_{16} in. Hub. Distance from Front to Center of Hub, $2\frac{\pi}{16}$ in.

To change Hand, take off Cap Plate and reverse Latch.


UPRIGHT RIM STORE DOOR DEAD LOCKS.



- No. 1445. 4 x 2½ in. Iron Bolt, 1 Tumbler, 24 Changes, with 2 Nickelplated Steel Folding Keys. Distance from Front to Center of Keyhole, 1% in.
- No. 1448. 4 x 2½ in. Brass Bolt; 3 Tumblers, 36 Changes, with 2 Nickelplated Steel Folding Keys. Distance from Front to Center of Keyhole, 1% in.
- No. 1450. 5½ x 3% in. Iron Bolt; 1 Tumbler, 12 Changes, with 2 Nickel-plated Flat Steel Folding Keys. Distance from Front to Center of Keyhole, $2\frac{5}{16}$ in.

UPRIGHT RIM STORE DOOR DEAD LOCKS.

(One-half-size Cuts.)




No. 198. 3% x 2% in. Heavy Bronze Bolt, Brass Nickel-plated Knob, Bronze Escutcheon; 7 Tumblers, 144 Changes, with 2 Flat Steel Keys. Distance from Front to Center of Keyhole, 1½ in. Suited for Doors from 1½ to 3 in. thick.



UPRIGHT RIM STORE DOOR DEAD LOCKS.


(One-half-size Cuts.)



No. 69158. 3% x 2½ in. Bronze Case, Bolt, and Escutcheon, Bronze-plated Knob; 5 Tumblers, over 1,000 Changes, with 3 Flat German Silver Keys. Suited for Doors from 1¾ to 2½ in. thick.

HORIZONTAL RIM KNOB LOCKS.

(One-half-size Cuts.)




- No. 5 in. City. 5 x 3 in. Brass Bolts, 1 Tumbler, 12 Changes, with Brass Key. 5/16 in. Hub. Distance from Front to Center of Keyhole, 13/4 in.
- No. 6 in. City. 6 x 4 in. Brass Bolts, 1 Tumbler, 12 Changes, with Brass Key. $\frac{5}{16}$ in. Hub. Distance from Front to Center of Keyhole, $\frac{17}{8}$ in.
- No. 626. 7 x 4% in. Iron Bolts, 1 Tumbler, 24 Changes, with 2 Nickel-plated Flat Steel Folding Keys. 5/16 in. Hub. Distance from Front to Center of Keyhole, 2% in.
- No. 3249. 5 x 3 in. Wrought Steel Case, Brass Bolts; 6 Changes, with Brass Key. $\frac{5}{16}$ in. Hub. Distance from Front to Center of Keyhole, $1\frac{3}{4}$ in.

To change Hand, take off Cap Plate and reverse Latch.


- No. 1673. 6 x 4 in. Iron Bolts; 1 Tumbler, 24 Changes, with 2 Nickel-plated Steel Folding Keys. 5/16 in. Hub. Distance from Front to Center of Hub, 45/8 in.
 - To change Hand, pull out Latch and turn it half around.

HORIZONT'AL RIM DEAD LOCKS.

(One-half-size Cuts.)



No. 402. Style of Nos. 378 and 437.



No. 373. 3% x 2½ in. Iron Bolt; 1 Tumbler, 6 Changes, with Tinned Malleable Iron Key. Distance from Front to Center of Keyhole, 15% in. Bolt shoots both ways.

No. 378. 3 x 2¼ in. Iron Bolt; 1 Tumbler, 12 Changes, with Nickel-plated Steel Key. Distance from Front to Center of Keyhole, 2 in.

No. 402. 3¾ x 2½ in. Iron Bolt; 3 Tumblers, 48 Changes, with Nickel-plated Steel Key. Distance from Front to Center of Keyhole, 2½ in.

No. 437. 6 x 4 in. Brass Bolt; 1 Tumbler, 18 Changes, with Brass Key.
Distance from Front to Center of Keyhole, 3 in.




YALE HORIZONTAL RIM DEAD LOCKS.

(One-half-size Cuts.)








No. 32. 2% x 3% in. Japanned Case; Bronze Bolt, Knob, and Cylinder, with 3 German Silver Paracentric Keys. Distance from Front to Center of Keyhole, 2% in. Suited for Doors from 1 to 2½ in. thick.



YALE RIM NIGHT LATCH AND LOCK.

(One-half-size Cuts.)




No. 782. 4\% x 5 in. Bronze Bolt, Cylinder, and Knob, with 3 German Silver Keys. Distance from Front to Center of Cylinder, 1\% in.; to knob, 3\% in. Suited for Doors from 1\% to 3 in. thick.

Not Reversible. When ordering, state Hand required.



WARDROBE LOCKS.

(Full-size Cuts.)




12-keyed. All alike. Bolt shoots right and left.


No. 510. No. 510½. 3 x 1¾ in. Iron. Tumbler.

3 x 134 in. Iron. Coppered. Tumbler. Fancy Bronze Keys. 3½ x 2 in. Iron. Tumbler and Ward. 4 x 2 in. Iron. Coppered. Tumbler and Ward. Fancy Bronze

No. 500. No. 391½. Keys.

MORTISE KNOB LATCHES.





No. 124. 1½ x 3½ in. Wrought Brass Front and Strike, Brass Bolt. Case ½ in. thick. 5/16 in. Hub. Distance from Front to Center of Hub, 2½ in.


No. 25. 134 x 3½ in. Brass Front, Strike, and Bolt. Case 9/6 in. thick. 5/16 in. Hub. Distance from Front to Center of Hub, 2% in.

No. 65. 21/4 x 11/2 in. Brass Front, Strike, and Bolt. 5/16 in. Hub. Distance from Front to Center of Hub, 1 in.

No. 89. 2% x 2¾ in. Brass Front, Strike, and Bolt. 5/16 in. Hub. Distance from Front to Center of Hub, 1% in.

No. 1015½. 2¼ x 1½ in. Bronze Front, Strike, and Bolt. 5/16 in. Hub. Distance from Front to Center of Hub, 1 in. ½ in. Rabbet.





No. 52. 2¼ x 3¼ in. Brass Front, Strike, Bolt, and Thumb Knob; 1 Tumbler, 6 Changes, with 2 Nickel-plated Steel Keys. Distance from Front to Center of Hub, 2% in.

To change Hand, pull out Latch and turn it half around.

No. 53½. 3 x 25% in. Brass Front, Strike, and Bolt, Bronze Thumb Knob and Escutcheon; 3 Tumblers, 27 Changes, with 2 Nickel-plated Flat Steel Keys. Distance from Front to Center of Hub, 1½ in.


To change Hand, draw out Slide in Top of Case and turn Latch over.

No. 54½. 2¾ x 3¾ in. Bronze Front, Strike, Bolt, and Thumb Knob; 3 Tumblers, 18 Changes, with 2 Nickel-plated Steel Keys. Distance from Front to Center of Hub, 2¾ in.

To change Hand, take off Cap Plate and reverse Latch.




(One-half-size Cuts.)



No. 175. 2% x 3 in. Bronze Front, Strike, Bolt, Escutcheon, and Thumb Piece; 3 Tumblers, with 2 Flat Steel Keys. Distance from Front to Center of Keyhole, 2% in.




(One-half-size Cuts.)



No. 166. 2¾ x 3 in. Bronze Front, Strike, Bolt, Cylinder, and Thumb Knob; Key Changes unlimited. 3 Paracentric Keys. Distance from Front to Center of Hub, 2½ in. Suited for Doors from 1½ to 1% in. thick.


(One-half-size Cuts



- No. 66N. Yale. 3½ x 2¾ in. Bronze Front, Strike, Bolt, Cylinder, and Thumb Knob; with 3 German Silver Keys. 5/16 in. Hub. Distance from Front to Center of Keyhole, 2 in. Suited for Doors from 1¼ to 2⅓ in. thick.
- No. 67N. Yale. Same as No. 66N, but suited for Doors from 21/8 to 3 in. thick.
- No. 558. 3¼ x 35% in. Bronze Bolt, Front, Strike, Cylinder, and Knob; with 3 German Silver Keys. 5/16 in. Hub. Distance from Front to Center of Hub, 2¾ in. In ordering, state Thickness of Door.

RIM NIGHT LATCHES.

(One-half-size Cuts.)




No. 151.

- No. 100. 3¾ x 2½ in. Iron Bolt, Nickel-plated Knob, Bronze Ornamental Escutcheon; with 2 Nickel-plated Steel Keys. Distance from Front to Center of Keyhole, 2¼ in. Suited for Doors from % to 1% in. thick.
- No. 151. 4¼ x 3 in. Bronze Bolt and Escutcheon, Nickel-plated Knob; with 2 Steel Keys. Distance from Front to Center of Keyhole, 2½ in. Suited for Doors from 1¼ to 2¼ in. thick.
- No. 250. 35% x 2½ in. Bronze Bolt and Round Escutcheon, Nickel-plated Knob; with 2 Steel Keys. Distance from Front to Center of Keyhole, 2½ in. Suited for Doors from 1½ to 2½ in. thick.

RIM NIGHT LATCHES.

(One-half-size Cuis.)




- No. 378. 1¾ x 3 in. Wrought Steel Japanned Case, Bronze Bolt, Knob, and Escutcheon; with 2 Nickel-plated Steel Keys. Distance from Front to Center of Keyhole, 2 ½ in. Suited for Doors from 7% to 2 in. thick.
- No. 4978. 35% x 23% in. Japanned Case. Bronze Bolt, Knob, and Escutcheon; with 3 Nickel-plated Steel Keys. Distance from Front to Center of Keyhole, 17% in. Suited for Doors from 7% to 2 in. thick.
- No. 5978. As No. 4978, but having Bronze Case.

 Reversible for either Right or Left Hand Doors.



YALE RIM NIGHT LATCHES.


(One-half-size Cuts.)



No. 25. 21/4 x 35% in. Bronze Tube, Knob, and Stop; Bronze-plated Iron Bolt; unlimited number of Key Changes, with 3 Corrugated Steel Keys. Distance from Front to Center of Keyhole, 23% in. Suited for Doors up to 1½ in. thick.

RIM NIGHT LATCHES.

(One-half-size Cuts.)



- No. 042. Yale. 2% x 35% in. Bronze Bolt, Knob, and Cylinder; with 3 German Silver Keys. Distance from Front to Center of Keyhole, 2% in. Suited for Doors from % to 2% in. thick.
- No. 356. 2½ x 35% in. Bronze Bolt, Knob, and Ball Bearing Cylinder; with 3 German Silver Keys. Distance from Front to Center of Keyhole, $2\frac{7}{16}$ in. Suited for Doors from 1 to $2\frac{1}{2}$ in. thick.
- No. 356%. Style of No. 356, but having a "Trip" in center of Latch Bolt, which is thrown back by contact with strike and secures the Latch Bolt from being forced back from the outside.

YALE RIM NIGHT LATCHES.

(One-half-size Cuts.)




No. 42. 2% x 3½ in. Iron Case, Old Copper Finish; Bronze Bolt, Cylinder, and Knobs; Key Changes unlimited. 3 German Silver Paracentric Keys. Distance from Front to Center of Keyhole, 2% in. Suited for Doors from ½ to 2½ in. thick.



YALE RIM NIGHT LATCHES.

(One-half-size Cuts.)




No. 742. 3 x 4 in. Bronze Bolt, Cylinder, and Knobs; with 3 German Silver
Paracentric Keys. Distance from Front to Center of Keyhole,
2% in. Suited for Doors from 1% to 3 in. thick.



RIM LATCHES.

(One-half-size Cuts.)



Horizontal.

- No. 309. $2\frac{1}{2}$ x $3\frac{1}{2}$ in. Iron Bolts, $5\frac{1}{16}$ in. Hub. Distance from Front to Center of Hub, $2\frac{3}{4}$ in.
- No. 310 2½ x 3½ in. Brass Bolt, 5/16 in. Hub. Distance from Front to Center of Hub, 2¾ in. Style of No. 309, but without Slide and Top Bolt.


Upright.

- No. 110. 3% x $2\frac{1}{2}$ in. Brass Bolt, $5\frac{1}{16}$ in. Hub. Distance from Front to Center of Hub, 1% in.
- No. 355. $3 \times 1\%$ in. Iron Bolt, $5\%_{16}$ in. Hub. Distance from Front to Center of Hub, $1\frac{3}{16}$ in. Style of No. 309, having Slide and Top Bolt.




SECRET LATCHES.

(One-half-size Cuts.)



No. 152. 21/2 x 21/8 in. Japanned Case, Brass Knob, Iron Latch.

No. 153. 21/2 x 21/8 in. Bronze, Polished.




No. 117. 21/4 x 11/8 in. Bronze, Polished.

Reversible by taking off Cap Plate and turning Latch over.

IRON GATE LOCKS.

(One-half-size Cuts.)






No. 1717%. 5 x 5 in. Japanned Case, Brass Bolts, and Draw-back, with Brass Main Key and 2 Brass Night Keys. 5/16 in. Fast Hub.

To change the Hand, take off the Cap Plate and reverse Latch.



IRON GATE LOCKS.

(One-half-size Cuts.)






No. 252. 3½ x 3½ in. Japanned Case, Brass Bolt, Nickel-plated Knob; 4
Tumblers, 36 Changes, with 2 Flat Steel Keys. Distance
from Front to Center of Keyhole, 1½ in.



SLIDING DOOR MORTISE KNOB LOCKS.

(One-half-size Cuts.)




No. 307. 4½ x 3¼ in. Brass Front, Strike, and Bolt; Nickel-plated Steel Key. 5/16 in. Hub. Distance from Front to Center of Hub, 2½ in.



SLIDING DOOR MORTISE DEAD LOCKS.

FOR BARN OR STABLE DOORS.

(One-half-size Cuts.)



No. 284. 4 x 3½ in. Brass Front, Strike, and Bolt; 24 Changes, with Nickel-plated Steel Key. Distance from Front to Center of Keyhole, 25% in.



FLUSH SLIDING DOOR MORTISE LOCK



 $5\frac{1}{4}$ x $3\frac{3}{8}$ in. Wrought Bronze Front, Strike, and 2 Cup Escutcheons, No. 986 $\frac{1}{4}$, $4\frac{5}{8}$ x $2\frac{1}{8}$ in.; Cast Bronze Bolts and Extension Key.

No. 1092, 221/4 Finish. As above, but Antique Copper Finish.

For Double Doors.

No. 1100. As No. 1092, but having 4 Cup Escutcheons, No. 9861/4.


No. 1100, 22¼ Finish. As No. 1100, but Antique Copper Finish. No. N13100. As No. 1100, but Iron, Bronze-plated.

No. Ri3100. As No. 1100, but Iron, Antique Copper Finish.

Distance from Front to Center of Keyhole, 21/16 in.



FLUSH SLIDING DOOR MORTISE LOCK SETS.




No. 1292. 5½ x 3½ in. Cast Bronze Front, Strike, Bolts, and Extension Key, with 2 Cast Bronze Cup Escutcheons, No. 0987, 5¾ x 2 in. For Single Doors.

No. 1300. Same as No. 1292, with 4 Cast Bronze Cup Escutcheons, No. 0987, 5¾ x 2 in. For Double Doors.

Distance from Front to Center of Hub, 1 % in.

ELEVATOR SLIDING DOOR LATCHES.

(One-half-size Cuts.)




No. 1220. 5 x 2% in. Bronze Metal, with Nickel-plated Steel Key. Reversible.

No. 2392. 5½ x 3 in. Bronze Metal, with Steel Key. Reversible.



SLIDING BARN DOOR LOCK.


(One-half-size Cuts.)



No. 8o. 4½ x 7½ in. Japanned Case, Double Safety Bolts, with 2 Tinned Keys. Operated from the outside by Key, on the inside by Lever. 1 Japanned Escutcheon, 2½ x 5½ in. It is impossible to raise the bolt from the outside by inserting any appliance under it between the casing and the door, as the inner bolt, which must be raised first, is protected by a lip on the outer bolt extending under the inner bolt, so that anything inserted under the outer bolt comes in contact with this lip and cannot touch the inner bolt.

In ordering, state Hand required; cut shows Left Hand.


(One-third-size Cuts.)



No. R3126½ x R386¼. Handle No. R3126½; 12¼ x 2¾ in. Iron, Antique Copper Finish. Lock No. R386¼; 4½ x 3 in. Iron, Antique Copper Finish, Bronze Reversible Anti-Friction Latch and Bolt; 3 Tumblers, with 2 Nickel-plated Steel Keys.

No. N3126½ x N386¼. Same as above, but Bronze Plated.






No. 01115 x 0181. Handle No. 01115; 12¾ x 2¾ in. Wrought Bronze, Polished. Lock No. 0181; 4½ x 3 in. Bronze Front, Strike, and Bolt; 3 Tumblers, with 2 Nickel-plated Steel Keys.

To change Hand, take off Cap Plate and reverse Latch.



(One-third-size Cuts.)




No. 1115 x 181. Handle No. 1115; 12¾ x 2% in. Wrought Bronze, Polished.

Lock No. 181; 4½ x 3 in. Bronze Front, with Reversible

Anti-Friction Latch and Bolt; 3 Tumblers, with 2 Nickelplated Steel Keys.



(One-third-size Cuts.)




No. 1115 x 183. Handle No. 1115; 12% x 2% in. Wrought Bronze, Polished.

Lock No. 183; 4½ x 2% in. Bronze Front, with Anti-Friction
Latch and Bolt; 3 Tumblers, with 2 Nickel-plated Steel Keys.

In ordering, state Hand required.




(One-third-size Cuts.)



No. P2330¾ x F1145½. Handle No. P2330¾; 12¾ x 2¾ in. Wrought Bronze, Antique Copper Finish. Lock No. F1145½; 4½ x 3 in. Bronze, Antique Copper Finish, Front, with Reversible Anti-Friction Latch and Bolt; 3 Tumblers, 72 Changes, with 2 Nickel-plated Flat Steel Keys.






No. 2340 X 1545½. Handle No. 2340; 13½ x 2¾ in. Cast Bronze, Polished. Lock No. 1545½; 5¼ x 3½ in. Bronze Front, Strike, Bolt, and 2 Cylinders, with 4 German Silver Keys. Reversible by taking off Cap Plate. Suited for Doors from 1¾ to 2¼ in. thick.





(One-third-size Cuts.)




DESIGN "COLONIAL."

No. 2328 x F1145½. Handle No. 2328; 14 x 2¾ in. Cast Bronze, Polished. Lock No. F1145½; 4½ x 3 in. Bronze Front, with Reversible Anti-Friction Latch and Bolt; 3 Tumblers, 72 Changes, with 2 Nickel-plated Flat Steel Keys.



STORE DOOR HANDLES AND LATCHES.




No. P1115%. Latch; 2% x 3% in. Bronze Front, Strike, and Bolt, with Anti-Friction Roller Strike. Handles; Plain Bronze, 8% x 2% in.

To change the Hand, take off Cap Plate and reverse Latch.



MORTISE SCREEN DOOR LATCHES.


(Full-size Cut.)



No. 5866P. Double-acting Latch Bolt, Swivel Spindle. Suited for either Right or Left Hand Doors from 7s to 1½ in. thick; also for Doors swinging both ways. 2 Nickel-plated Steel Keys; 2 Escutcheons, 1 Knob, and 1 Lever Handle, all Bronze Polished, are packed with each set.



THUMB LATCHES.



No. 3. Japanned. No. 5. Japanned. Heavy. No. 1984. Berlin Bronzed.



PAD LOCKS.

(Full-size Cuts.)






No. 04131. Cast Brass, Self-locking, Spring Shackle, 6 Secure Levers, with 2 Nickel-plated Flat Steel Keys to each lock. All different in a dozen.

We carry a regular line of padlocks, suitable to the various demands. No. 04131, shown above, is particularly recommended as a strong, very reliable and moderate-priced lock and is exceedingly neat and trim in appearance.

DOOR KNOBS.

(One-half-size Cuts.)



Nos. 500 and 505. Style of Nos. 310 to 555.



No. 231. Without Mountings, No. 230.



Nos. N3700 and N37001/2.



No. No3523.

- 21/4 in. Mortise. Ash, Oak, or Cherry, without Mountings. No. 230.
- No. 231. 2¼ in. Mortise. Ash, Oak, or Cherry, Bronze Mountings.
 No. 310. 1¾ in. Mortise. Porcelain, Japanned Mountings.
 No. 500. 2¼ in. Mortise. Mineral, Japanned Mountings.
- No. 505. 21/4 in. Rim. Mineral, Japanned Mountings.
- No. 510. 21/4 in. Mortise. Porcelain, Japanned Mountings.
- No. 512. 21/4 in. Mortise. Ebony, Coppered Mountings.
- No. 515. 21/4 i.i. Rim. Porcelain, Japanned Mountings.
- No. 517. 21/4 in. Rim. Ebony, Coppered Mountings.
- No. 550. 21/4 in. Mortise. Porcelain, Porcelain Mountings. No. 555. 21/4 in. Rim. Porcelain, Porcelain Mountings.
- No. No3523. 21/4 in. Mortise. Bronze Plated.
- No. N3700. 21/4 in. Mortise. Jet, Bronze-plated Mountings.
- No. N37001/2. 21/4 in. Rim. Jet, Bronze-plated Mountings.

DOOR KNOBS.


(One-half-size Cuts.)



No. 5400. Style of No. 5401. Design "Parthenon."



No. 5490. Style of No. 5491. Design "Wrought Regal."



No. 1508,




No. 5330. Style of No. 5331. Design "Como."

* No.	1508.	21/2	in,	Mortise.	Brenze	Metal,	Polished	l. Oval	
	5330.	21/2	in.	Mortise.	Bronze	Metal,	Antique	Copper	Finish.
No.	5331.	21/4	in.	Mortise.			Antique		
No.	5400.	21/2	in.	Mortise.	Bronze	Metal,	Antique	Copper	Finish.
No,	5401.	21/4	in.	Mortise.			Antique		
No.	5490.	21/2	in.	Mortise.			Polished		
No.	5491.	21/4	in.	Mortise.	Bronze	Metal,	Polished		


^{*} With or without roses.

DOOR KNOBS.

(One-half-size Cuts.)



No. 1511. Style of No. 1512.



No. 15181/2. Style of Nos. 15191/2 and 1919.



No. 1583.



No. 01583.

* No.	1511.	21/2	in.	Mortise.	Bronze	Metal,	Polished.	Ball.
* No.	1512.	21/4	in.	Mortise.	Bronze	Metal,	Polished.	Ball.
* No.	15181/2.	21/2	in.	Mortise.	Bronze	Metal,	Polished	

* No. 1519½. 2¼ in. Mortise. Bronze Metal, Polished.
No. 1583. 2¼ in. Mortise. Bronze Metal, Antique Copper Finish.
No. 1583. 2¼ in. Mortise. Bronze Metal, Polished. No. 01583. 2¼ in. Mortise. Bronze Metal, Polished. No. 1919. 1¾ in. Mortise. Bronze Metal, Polished.

^{*} With or without roses.



MORTISE BOLT KNOBS.

(One-half-size Cuts.)



No. 1548.


No. 1919.

No. 1919. 134 in. Knob. Bronze, Polished. 5/16 in. Spindle. No. 1548. 15% in. Knob. Bronze, Polished. 5/16 in. Spindle.

KNOB SPINDLES.




Plain Spindle.



- 5/16 in. x $3\frac{1}{2}$ in., $1\frac{1}{2}$ to $2\frac{1}{4}$ in. Extension. For Rim Knobs. No. 5. No. 6.
- 5_{16} in. x $3\frac{3}{4}$ in., $1\frac{3}{4}$ to $2\frac{1}{2}$ in. Extension. For Rim Knobs. 5_{16} in. x 4 in., $1\frac{3}{4}$ to $2\frac{1}{2}$ in. Extension. For Rim Knobs. No. 7. Plain.
- No. 20. 3/8 in. x 5 in., 11/2 to 31/4 in. Extension. For Mortise Knobs.
- Swivel. 5/16 in. x 4½ in, 1¼ to 2¾ in. Extension. For Mortise No. 10. Knobs.
- No. 11. Swivel. $\frac{5}{16}$ in. x $5\frac{1}{4}$ in., $1\frac{1}{2}$ to 3 in. Extension. For Mortise Knobs.
- Swivel. % in. x 5½ in., 1½ to 3¼ in. Extension. For Mortise No. 22. Knobs.
- No. 15. Swivel. 2\% in. 1\% to 1\% in. Extension. For Closet Spindles.




THUMB PIECES.



No. 0521/2.

No. 2146.



No. 2147.


No. 021481/4.


No	. 0521/2.	Bronze	Metal,	Polished.	1/4	in.	Spindle.
No	. 2146.	Bronze	Metal,	Polished.			Spindle.
No	021481/4.	Bronze	Metal,	Polished.	5/16	in.	Spindle.
No	. 2147.	Bronze	Metal,	Polished.	5/16	in.	Spindle.




CRANK HANDLES.

(One-half-size Cuts.)








No. 2.


No. 1. 1% in. Bronze Metal, Polished.

No. 2. 1½ x 3 in. Bronze Metal, Polished.

No. 3. 13/4 in. Bronze Metal, Polished.








No. 2117¼. 1¼ x 2½ in. Bronze Metal, Polished.

LEVER HANDLES AND ESCUTCHEONS.

(One-half-size Cuts.)





No. P1510 x P1518.

No. 2117. 1 x 4% in. Bronze Metal, Polished, for Lock No. 156%.

No. P1510 x P1518. 11% x 4½ in. Bronze Metal, Polished, for Lock No. 0101½.



PLATE ESCUTCHEONS.

(One-half-size Cuts.)



No. 25901/2. Style of Nos. 1354 and 2454.



No. 25961/2.



No. 54981/2.



No. N31041/2.



No. 54081/2.

21/4 x 11/4 in. Cast Bronze, Polished. No. 1354. 2 x 11/8 in. Wrought Bronze, Polished, with Swivel Center for No. 2454.

Flat Keys. 2 x 1½ in. Wrought Bronze, Polished. No. 25901/2.

13/4 x 11/4 in. Wrought Bronze, Polished or Antique Copper No. 25961/2. Finish.

No. N31041/2. 13/4 x 11/8 in. Wrought Iron, Bronze Plated.

No. 54081/2. 2 x 11/8 in. Cast Bronze, Antique Copper Finish.

No. 54981/2. 21/4 x 11/8 in. Cast Bronze, Polished.



ESCUTCHEONS.

(One-half-size Cuts.)



No. 2589.

No. 025621/4.

Style of No. 025621/4.

No. 02562. No. 02562 ¹ / ₄ . No. 02570.	234 x 10 in. 214 x 714 in. 11/2 x 51/2 in.	Wrought Bronze, Polished.	For Locks Nos. 123014 and 1350. For Locks Nos. 122014 and 1340. For Locks Nos. K96114, 962, and

No. No. No. 11/2 x 51/2 in. Wrought Steel, Bronze Plated. For Locks Nos. K9611/2, 962, and 1285.


Style of No. 2580

		Style 01 1(0. 250g.
No. 257114.	1½ x 5% in.	Wrought Bronze, Polished. For Locks Nos. K9611/2, 962, and
NY0-1/	97/ 10 :	1285.
No. 25821/4.	2% x 10 in.	Cast Bronze, Polished. For Lock No. 1345.
No. 2582 ¹ / ₄ . No. 2582 ¹ / ₂ .	25% x 8 in.	Cast Bronze, Polished. For Lock No. 1339.
NIC 0=00	91/ - 01/ in	Wyonght Dange Delighed For Look No 1950

Wrought Bronze, Polished. For Lock No. 1350. Wrought Bronze, Polished. For Locks Nos. 1230½, 1340, 1330, No. 2588. No. 2589. 2 x 71/4 in. and 1230.

No. 25891/2. 1% x 61/8 in. Wrought Bronze, Polished. For Locks Nos. 41/2 in. City, 1363, and 1365.


AMMACHER S CHLEMMER TO WORK.



No. 5492. Style of No. 54921/4. Design " Vrought Regal."

ESCUTCHEONS.

(One-half-size Cuts.)



No. 1131¼. Desigr. "Putnam."

No. 1131¹4. 7½ x 2½ in. Wrought Bronze, Polished. For Locks Nos. 1285, 1085½, and 1385¾. No. 5492. 10 x 3 in. Wrought Bronze, Polished. For Lock No. 1230½. No. 5492½. 7 x 2½ in. Wrought Bronze, Polished. For Lock No. 1220¼.



ESCUTCHEONS.

(One-half-size Cuts.)



No. N39711/4.



No. 1311/4. "Clifton" Design.

No. 5402½. Style of Nos. 5402 and 5402¼. "Parthenon" Design.

No. 1314. 54 x 1% in. Wrought Steel, Antique Copper Finish. For Locks Nos. 1285, 10854, and 13854.

No. N39714. 5% x 1½ in. Wrought Steel, Bronze Plated. For Locks Nos. K9614, 962, and 1285.

No. 5402. 9½ x 27% in. Cast Bronze, Antique Copper Finish. For Locks Nos. 1230¼ and 1345.


No. 54024. 6% x 24 in. Cast Bronze, Antique Copper Finish. For Lock No. 12204.

No. 5402½. 8 x 27/8 in. Cast Bronze, Antique Copper Finish. For Lock No. 1339.



FLUSH CUP ESCUTCHEONS.

(One-half-size Cuts.)



No. 9861/4.



No. 0597½. Style of No. 0989¾.

No. 0597½. 2 x 5¾ in. Wrought Bronze, Polished.

No. 9861/4. 21/8 x 45% in. Wrought Bronze, Polished.

No. 098934. 23/8 x 63/4 in. Cast Bronze, Polished.




FLUSH CUP ESCUTCHEONS.

(One-half-size Cuts.)



No. 0987.

FLUSH CUP AND T HANDLE.



No. 515.

No. 515. 3 in. diameter. Cast Bronze, Polished.


No. 0987. 2 x 534 in. Cast Bronze, Polished.

DOOR PULLS.

(One-half-size Cuts.)



No. 502.



No. 504. Style of Nos. Po1155 and 12250.

No. 502. 6 in. Iron, Japanned.

No. 504. 6 in. Iron, Japanned. Heavy.

No. Po1155. 51/2 in. Cast Bronze, Polished.

No. 12250. 4% in. Cast Bronze, Polished.

DOOR PULLS.

(One-half-size Cuts.)



No. 3203. Style of No. 3202.



No. 3208.



No. P1145. Style of Nos. P1144 and P1137.

No. P1137. 31/2 in. Cast Bronze, Polished.

No. P1144. 5 in. Cast Bronze, Polished.

No. P1145. 6 in. Cast Bronze, Polished.

No. 3202, No. 11 Finish. 5 in. Iron, Copper Plated.


No. 3203, No. 11 Finish. 6 in. Iron, Copper Plated.


No. 3208, No. 11 Finish. 6 in. Iron, Copper Plated.



STORM DOOR PULLS.

(One-half-size Cuts.)





P1160.


P1168.

No. P1160. 8¼ in. Cast Bronze, Polished. No. P1168. 8 x 2 in. Cast Bronze, Polished.



STORM DOOR PULLS.

(One-third-size Cuts.)



No. 2209.




No. 2397. Left Hand.


- No. 2209. 9 x 21/2 in. Wrought Bronze, Polished.
- * No. 2397. 11½ x 2% in. Wrought Bronze, Polished.
- * No. 02397. 12 x 3 in. Wrought Bronze, Polished. Plate as on No. 2209; Handle as on 2165, opposite page.

*In ordering, mention Hand wanted,

STORM DOOR PULLS.



(One-third-size Cuts.)



No. 2165. Right Hand.

No. 21651/4.

DESIGN "CONCORD."


*No. 2165. 12 x 3 in. Cast Bronze, Polished. *No. 2165. 12 x 3 in. Cast Bronze, Antique Copper Finish. No. 2165½. 9¾ x 2¾ in. Wrought Bronze, Polished.

* In ordering, mention Hand wanted.



PUSH AND PULL PLATES.

(One-third-size Cuts.)



No. 841. Style of No. 851.



No. P2276. Style of Nos. 1 and 4.

8 x 2½ in. Wrought Bronze, Polished. 12 x 3 in. Wrought Bronze, Polished. No. I.

No. 841. 10¼ x 2% in. Cast Bronze, Polished. Lettered "Push."
No. 851. 10¼ x 2% in. Cast Bronze, Polished. Lettered "Pull."
No. P2276. 12 x 3 in. Cast Bronze, Polished.

Glass. 12 x 3 in. Beveled Edges.



PUSH AND PULL PLATES.

(One-third-size Cuts.)



"Concord" Design. Nos. 2761/4 and 22761/4. Style of No. 2276.



"Putnam" Design. No. 22761/4.

No. 2764. Concord. 934 x 234 in. Wrought Steel, Bronze Plated.

No. 2764. Concord. 934 x 234 in. Wrought Steel, Antique Copper Finish.

No. 2276. Concord. 12 x 3 in. Cast Bronze, Polished.

No. 2276. Concord. 12 x 3 in. Cast Bronze, Antique Copper Finish.


No. 22761/4. Concord. 93/4 x 23/4 in. Wrought Bronze, Polished.

Concord. 934 x 234 in. Wrought Bronze, Antique Copper No. 22761/4. Finish.

No. 22761/4. Putnam. 101/2 x 31/8 in. Wrought Bronze, Polished.



PUSH BUTTONS.



No. 50. 2% in. Ash, Oak, or Stained Cherry. White Button.

No. 229½. 2% in. Wrought Bronze, Polished. Black Button.
No. 358. Wrought Bronze, Polished. Black Button. Fits into a ¾-in. hole.

Wrought Bronze, Polished. Black Button. Fits into a 1/2-in. No. 398. hole.

No. 1250. 2½ x 2¾ in. Cast Bronze, Polished. Black Button.

PUSH BUTTONS.



Nos. 43 and 125634.



No. 9.

No. 43. 2½ x 1 in. Cast Bronze, Polished. Black Button.

No. 9. 4% x 2% in. Cast Bronze, Polished. Black Button.

No. 1256%. 3% x 1% in. Cast Bronze, Polished. Black Button.

No. 1243. 43% x 21/4 in. Cast Bronze, Polished. Black Button. Style of No. 9, but having the words "Doctor's Bell" in black letters.

No. 1244. As No. 1243, but with words "Janitor's Bell."


No. 1245. As No. 1243, but with words "Night Bell."

PUSH BUTTONS.

(One-half-size Cuts.)



No. 14111/4. Design "Concord."



No. 5494. Design "Wrought Regal."

No. 141114. 4 x 2 in. Wrought Bronze, Polished. Black Button.

No. 1411¼, 24 Finish. 4 x 2 in. Wrought Bronze, Antique Copper Finish-Black Button.

No. 5494. $5\frac{1}{2}$ x $2\frac{1}{4}$ in. Wrought Bronze, Polished, or Antique Copper Finish. Black Button.



PUSH BUTTONS.

(One-half-size Cuts.)



No. 5334. Design "Como."



No. 5404. Design "Parthenon."


No. 5404. 334 x 23% in. Cast Bronze, Antique Copper Finish. Black

No. 5334. 4\% x 2\%2 in. Wrought Bronze, Antique Copper Finish. Black Button.



DOOR KNOCKERS.

(One-third-size Cuts.)



No. 5P. 25% x 81/4 in. Cast Bronze, Polished.

No. 8P. 31/4 x 53/4 in. Cast Bronze, Old Brass Finish.

No. 1893. 4 x 6¾ in. Cast Brass, Polished.

No. 18930.B. $4 \times 6 \%$ in. Cast Brass, Old Brass Finish.

No. 1893B.B. 4 x 63/4 in. Iron, Bower Barff Finish (Rustless Iron).

All have machine screws to fasten from back.



LETTER BOX PLATES.



No. P1334. One-third-size Cut.

No. P1334. 2½ x 7 in. Cast Bronze, Polished. Without Inside Plate. Opening, 1 x 4¾ in.

No. P1344. $2\frac{1}{8} \times 7$ in. Cast Bronze, Polished. With Inside Plate. Opening, $1 \times 4\frac{3}{4}$ in.



No. 46. One-half-size Cut.

No. 26. 2% x 5% in. Cast Iron, Amber Bronzed. Opening, 1% x 4% in.

No. 29. 2% x 5% in. Cast Bronze, Polished. Opening, 1% x 4% in.

No. 46. 2% x 7% in. Cast Iron, Amber Bronzed. Opening, 1 x 434 in.

No. 49. 2% x 75% in. Cast Bronze, Polished. Opening, 1 x 4% in.

No. 366. 4 x 11 in. Cast Iron, Amber Bronzed. Opening, 2 x 8 in. For Newspapers.



MAIL BOXES.



Nos. 3 and 4.





No. 2. 11 x 7 x 3 in. Cast Iron, Japanned, with Lock and 2 Corrugated Keys.

- No. 3. 10½ x 5½ x 2¾ in. Wrought Steel, Dull Black Japanned, with Secure Lever Lock and 2 Keys.
- No. 4. Style of No. 3, but Antique Copper Finish.
- No. 5. 12 x 4½ x 2½ in. Cast Iron, Dark Green Finish. Without Padlock.



NAME PLATES OR SIGNS.



Cast Bronze, Polished.

21/2 x 8 in. Cashier, Library, Museum, Private, Office, Janitor, or Teller.

21/2 X 11 in. President, Secretary, or Treasurer.

21/2 X 12 in. Bookkeeper or No Admittance.

3 X 12 in. Ladies' Toilet, Gents' Toilet, or Lavatory.

IRON ENAMELED SIGNS.

10 X 2 1/2 in. Round Corners. White Enameled with Blue Letters. Ladies, Gentlemen, Janitor, Office, Private, Toilet, or No Admittance.

NUMBERED THUMB TACKS.







Brass, Black Figures.

In sets of 1 to 10 inclusive.

In sets of 1 to 25 inclusive.

In sets of 1 to 40 inclusive.

In sets of 1 to 50 inclusive.

In sets of 1 to 99 inclusive.

We do not sell less than full sets.






NUMBERS.







16th Century.


Regular. 11/2 in. Cast Brass, Polished or Nickel-plated. Regular. 2 in. Cast Brass, Polished. 16th Century. 1 and 2 in. Cast Bronze, Polished.

TOILET INDICATOR BOLTS.

(One-third-size Cuts.)



Outside View.



Inside View.

Size of Case, 21/2 x 25/8 in.; Indicator, 31/4 in. Cast Bronze, Pol-No. P1761. ished. For Doors 1 to 134 in. thick. When locked, the word "Occupied" is shown on the dial; when unlocked, the word "Open" appears.



DOOR SPRINGS.





Champion. .



13 in. Nickel-plated. No. 51. Gem. Gem. No. 52. 12 in. Nickel-plated.

10 in. Nickel-plated. Gem. No. 53.

Gem. No. 71. 13 in. Brass, Polished. Gem. No. 72.


12 in. Brass, Polished.

Champion. No. 63. 13 in. Japanned.

Chicago. No. 281. 111/2 in. Japanned. Chicago. No. 282. 13 in. Japanned. Chicago. No. 283. 14 in. Japanned.



THE CORBIN LIQUID DOOR CHECK AND SPRING.




Gold Bronze Finish.

- No. A. For Screen Doors.
- No. B. For Light Inside Doors not over 3 x 7 feet.
- No. C. For Light Vestibule Doors not over 21/2 x 7 feet.
- No. D. For Light Outside Doors not over 3 x 71/2 feet.
- No. E. For Heavy Outside Doors not over 4 x 71/2 feet.
- No. F. For Extra Heavy Outside Doors.

Special finishes to order. Packed complete with instructions for putting up. In determining size required, winds and draughts must be considered. Also MENTION HAND WANTED (see explanation, pages 130 and 131).



THE BLOUNT LIQUID DOOR CHECK AND SPRING.



Gold Bronze Finish.

- No. o. For Screen Doors.
- No. A. For Light Inside Doors not over 3 ft. wide x 11/2 in. thick.
- No. B. For Vestibule and Light Outside Doors not over 2½ ft. wide x 2 in. thick.
- No. C. For Outside Doors not over 3 ft. wide x 21/2 in. thick.
- No. D. For Outside Doors not over 4 ft. wide x 21/2 in. thick.
- No. E. For Extra Heavy Doors.

Special finishes to order. Packed complete with instructions for putting up. In determining size required, winds and draughts must be considered. Also MENTION HAND WANTED (see explanation, pages 130 and 131).

THE BARDSLEY OIL DOOR CHECK AND SPRING.




Gold Bronze Finish.

- No. A. For Light Inside Doors not over 2 ft. 9 in. wide.
- No. B. For Narrow Vestibule Doors or Inside Doors not over 3 ft. wide.
- No. C. For Outside Doors not over 2 ft. 9 in. wide.
- No. D. For Outside Doors not over 3 ft. 3 in. wide.
- No. E. For Extra Heavy Doors.

Special finishes to order. Packed complete with instructions for putting up. In determining size required, winds and draughts must be considered. Also MENTION HAND WANTED (see explanation, pages 130 and 131).

THE ECLIPSE DOOR CHECK AND SPRING.



Amber Bronzed Finish.

Door Springs.

No. 1251. For Inside Doors.

No. 1253. For Wide Inside or Narrow Outside Doors.

No. 1255. For Wide Outside Doors.

Door Checks.

No. 1223. For Ordinary Doors. 1½ in. Cylinder.


No. 1225. For Wide Doors. 2 in. Cylinder.

Special finishes to order. Packed complete with instructions for putting up. Checks are packed with two brackets, thus adapting them for use on either inside or outside of doors.


Parts of above for repairs, carried in stock.



SHOWING THE "HANDS" OF DOORS.




View 1. Showing Spring and Check on RIGHT HAND DOOR.




View 2. Showing Spring and Check on LEFT HAND DOOR.



SHOWING THE "HANDS" OF DOORS.



View 3. Showing Spring and Check on RIGHT HAND JAMB.



View 4. Showing Spring and Check on LEFT HAND JAMB.



BOMMER SPRING HINGES. PLANISHED STEEL.

The second				SI	NGLE	ACTIO	N.	
		Length of Flanges.	Japanned.		or Brass,	Antique Copper, Antique Brass or Dull Brass Finish, also IMITATION Rustless Black Finish.		
the:	not larger than following:	USE.	No.	Ter Pair.	No.	Per Pair.	No.	Per Pair.
### WIDTH 2	THICKNESS 34 to 1 in.	3 in. 4 in. 5 in. 6 in. 7 in. 8 in. 10 in. 12 in. 14½ in.	0 1 5 9 13 17 21 25 27	\$0.80 1.00 1.30 1.80 2.30 3.30 4.50 6.00 9.50	450 451 455 459 463 467 471 475 477	\$1.00 1.20 1.60 2.20 2.80 4.00 5.50 7.30 11.60	300 301 305 309 313 317 321 325 327	\$1.20 1.40 1.80 2.50 3.20 4.50 6.20 8.30 13.00
For Office G	ates 1¼ to 2½ in.	5 in.	7	\$2.00	457	\$2.50	307	\$2.70
handrail not over 4 in.			DOUBLE ACTION.					
				D	OUBLE	ACTIO	ON.	
		Length of Flanges.	Japa	nned.	Bronze	ACTIO	Antique Antique or Dul Fin al IMIT Rus	Copper, te Brass 1 Bra
For doors the f	not larger than ollowing ;	of	Japa		Bronze	or Brass.	Antique Antique or Dul Fin al IMIT Rus	le Brass 1 Brass ish, lso ATION tless
For doors then width of the control	not larger than	of Flanges.		nned.	Bronze e	or Brass.	Antique Antique or Dul Fin al IMIT Rus Black	le Brass 1 Brass ish, iso ATION tless Finish,



BOMMER SPRING HINGES. POLISHED STEEL.

DOINTINE COL	(11 10	T TIT 4	OLO.	101	10111	0 511	EL.
			SI	NGLE	ACTIO	N.	
	Length of Flanges.	Sand Fir	Blast	Bronze, Nickel al GENI Rust Black	so JINE cless	Antiqu	c Copper, e Brass, or ss Finish.
For doors not larger than the following:	USE.	No.	Per Pair.	No.	Per Pair.	No.	Per Pair.
2 ft. 34 to 1 in. 24 ft. 1 to 1½ in. 24 ft. 1 to 1½ in. 2½ ft. 1½ to 1¾ in. 2½ ft. 1½ to 1¾ in. 2½ ft. 1½ to 2¼ in. 3 ft. 1½ to 2¼ in. 3 ft. 1½ to 2¼ in. 0 ver 3 ft. 3 to 4 in. For Office Gates 1¼ to 2½ in. handrail not over 4 in.	3 in. 4 in. 5 in. 6 in. 7 in. 8 in. 10 in. 12 in. 14½ in. 5 in.	250 251 255 259 263 267 271 275 277 257	\$1.60 1.90 2.40 3.20 4.00 5.60 7.70 9.90 15.40 \$3.50	50 51 55 59 63 67 71 75 77	\$2.30 2.50 3.00 3.80 4.50 5.70 8.30 11.30 16.00 \$4.00	350 351 - 355 359 363 367 371 375 377	\$2.50 2.80 3.30 4.10 4.90 6.30 9.20 12.30 18.00 \$4.30
<u>Q</u> <u>Q</u>		DOUBLE ACTION.					
	Length of Flanges.		Blast	GEN Rus	Brass, or Plated, so UINE tless Finish.	Antiqu	e Copper, e Brass, or ss Finish
For doors not larger than the following:	USE.	No.	Per Pair.	No.	Per Pair.	No.	Per Pair.
THICKNESS 2 ft. 34 to 1 in. 2 ft. 78 to 1¼ in. 2½ ft. 1½ to 1½ in. 2½ ft. 1½ to 1¾ in. 2½ ft. 1½ to 1¾ in. 2½ ft. 1½ to 2¼ in. 2¾ ft. 1½ to 2¼ in. 3 ft. 1½ to 2¼ in. 3 ft. 2½ ft. 2½ in. 3 ft. 2½ ft. 2½ in. 3 ft. 2 to 3 in. Over 3 ft. 3 to 4 in.	3 in. 4 in. 5 in. 6 in. 7 in. 8 in. 10 in. 12 in. 14½ in.	279 280 283 286 289 292 295 296 298 299	\$3.00 3.80 4.80 6.30 8.10 11.20 15.30 17.50 19.80 30.80	79 80 83 86 89 92 95 96 98 99	\$4.50 5.00 6.00 7.50 9.00 11.40 15.50 17.00 21.00 32.00	379 380 383 386 389 392 395 396 398 399	\$5.00 5.50 6.50 8.30 9.90 12.70 17.10 18.70 23.00 34.50
For Office Gates 1¼ to 2½ in. handrall not over 8¼ in.	6 in.	288	\$8.00	88	\$8.50	388	\$9.40




BOMMER SPRING HINGES. BRONZE OR BRASS METAL.

POINTINT	er sprin	1G IIII	NGL	O. BR	ONZE	OR DR	ADD II	
				SI	NGLE	ACTIO	N.	
		Length of Flanges.	Highly Polished.		Antique Copper, Antique Brass, or Dull Brass Finish, also Nickel Plated.		Silver Plated, Either Bright or Oxidized.	
foll	ot larger than the lowing:	USE.	No.	Per Pair.	No.	Per Pair.	No.	Per Pair.
2 ft. 2 ft. 214 ft. 214 ft. 214 ft. 215 ft. 24 ft. 3 ft. 3 ft. Over 3 ft.	## THICKNESS. 34 to 1 in.	3 in. 4 in. 5 in. 6 in. 7 in. 8 in. 10 in. 12 in. 14½ in.	100 101 105 109 113 117 121 125 127	\$4.00 .4.50 5.50 6.80 8.50 10.90 14.70 19.80 27.20	400 401 405 409 413 417 421 425 427	\$4.50 5.00 6.00 7.40 9.30 12.10 16.10 21.50 30.60	200 201 205 209 213 217 221 225 227	\$5.20 5.80 7.10 8.60 10.80 14.30 18.60 24.70 33.40
For Office G	ates 1¼ to 2½ in.	5 in.	107	\$8.00	407	\$8.50	207	\$10.00
nandran	not over 4 in.	<i>5</i> m.	101	Ψ0.00	401	\$0.00	201	\$10.00
		Length of Flanges.	Híg	DC	Antique Antique or Dul Fin	ACTIO Copper, e Brass, 1 Brass lish, Iso Plated.	Silver Either	Plated, Bright or lized.
For doors no fol WIDTH,		Length of	Híg	Do	Antique Antique or Dul Fin	ACTIO	Silver Either	Plated, Bright or
For doors no fol	t larger than the lowing:	Length of Flanges.	Híg Polí	hly shed.	Antique Antique or Dul Fin a Nickel	ACTIO	Silver Either Oxid	Plated, Bright or lized.




BOMMER BALL BEARING FLOOR HINGES.



To avoid errors, order by number and state which finish is	UNPOLISHED.								
For doors not larger than the following:	Japanned Dead Black.			Bronze or Brass, Plated.		s, Aı	Antique Copper, Antique Brass, or Dull Brass Finish.		
	No. Per Set		Set.	No.	Per Set.		No.	Per Set.	
$\frac{7}{8}$ to $1\frac{1}{2}$ inches thick. $1\frac{2}{8}$ " 2 " " " 2 " 2 1 2 1 1 2 1 2 1 2 1 2 1	2 4 6 8	4 3.00 3.60		452 454 456 458	\$3.0 3.6 4.2 7.2	0 0	302 304 306 308	\$3.00 3.60 4.20 7.20	
To avoid errors, order by number and state which	POLISHED.			BRONZE or BRASS.					
For doors not larger al	so Genuine or D		ne Copper, que Brass, ull Brass inish.	Highly Polishe		Antique Cop Antique Brass Dull Brass Fin also Nickel Pla			
No	. Pe	r Set.	No.	Per Set.	No.	Per Se	t. No.	Per Set.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4	3.90 3.20 3.80 3.10	352 354 356 358	\$3.90 4.20 4.80 8.10	102 104 106 108	\$6.00 7.20 8.40 11.40	404 406	7.80 9.00	

CHICAGO SPRING BUTTS.



The spring is always concealed when the door is closed.

Double Acting.

Wrought Steel.

No. 11/2. For % to 1 in. Doors. Japanned.

No. 31½. For % to 1 in. Doors. Bronze Plated and Polished.

No. 31½. For 1¼ to 1¼ in. Doors. Bronze Plated and Polished.

No. 131½. For % to 1 in. Doors. Bronze Plated, not Polished.

No. 131½. For 1½ in. to 1¼ in. Doors.
Bronze Plated, not Polished.


A pair of Spring Butts are intended for each door, but when doors are light, one Spring Butt at the top and one Blank Butt at the bottom will work very well. Never put the Blank Butt at the top of the door. Be particular to hang them in perpendicular line.

Blank Butts are illustrated on the following page.



CHICAGO BLANK BUTTS.

Double Acting.



Wrought Steel.

No. 3½. For % to 1 in. Doors. Japanned.

No. 331/2. For % to 1 in. Doors. Bronze Plated and Polished.


No. 33½. For 1½ to 1¼ in. Doors. Bronze Plated and Polished.

No. 133½. For % to 1 in. Doors. Bronze Plated, not Polished.

No. 133½. For 1½ to 1¼ in. Doors. Bronze Plated, not Polished.

Blank Butts should always be put at the bottom of the Door.

"ANTI FRICTION" SPRING HINGES.



Single Acting.

No. 1.	23% in.	Wrought Brass, Dipped.
No. 3.	3 in.	Wrought Brass, Dipped.
No. 5.	5 in.	Wrought Brass, Dipped.
No. 13.	3 in.	Wrought Iron, Brass Plated.
No. 51.	2% in.	Wrought Brass, Nickel Plated.

Double Acting.

No. 7.	2% in.	Wrought	Brass,	Dipped.
No. 9.	3 in.	Wrought		
No. 11.	5 in.	Wrought	Brass,	Dipped.
No. 19.	3 in.	Wrought	Iron.	Brass Plated.

SHOW CASE SPRING HINGES.

(One-half-size Cut.)



No. 422. 11/2 in. Wrought Steel, Brass Plated, Brass Spring.




SHOW CASE SPRING HINGES.

(One-half-size Cut.)




No. 2. 21/4 in. Wrought Iron, Copper Bronzed.

SCREEN DOOR SPRING HINGES.



Nos. 14 and 18.




No. 5.

No. 5. 3 in. Iron, Japanned. Single Acting. No. 14. 3 in. Iron, Japanned. Single Acting. No. 18. 3 in. Iron, Japanned. Double Acting.




FAST JOINT BUTTS.



- No. 100. Cast Brass, not Polished. 2 x 1½, 2 x 2, 2½ x 2, 2½ x 2½, 3 x 2, 3 x 2½, 3 x 3, 3½ x 3, 3½ x 3½, and 4 x 4 in.
- No. 101. Cast Brass, Polished. 1½ x 1¼, 2 x 1½, 2 x 2, 2½ x 2, 2½ x 2½, 3 x 2, 3 x 2½, 3 x 3, 3½ x 3½, and 4 x 4 in.
- No. 101½. Cast Bronze, Polished. 2 x 1½ and 2 x 1¾ in.


BALL TIPPED BUTTS.



Loose Pin.

- No. 102¼. Cast Brass, Polished. 2 x 1½, 2 x 1¾, 2 x 2, 2½ x 1¾, 2½ x 2, 2½ x 2½, 3 x 2, 3 x 2½, and 3 x 3 in.
- No. 102¾. Cast Bronze, Polished. 2½ x 2, 2½ x 2½, 3 x 2, 3 x 2½, and 3 x 3 in.
- No. 295A. Light, Narrow Wrought Steel, Bronze Plated, not Polished. $2\frac{1}{2}$ x $1\frac{1}{16}$ in.
- No. 295, D2 Finish. Light, Narrow Wrought Steel, Antique Copper Finish. $2\frac{1}{2}$ x $1\frac{11}{16}$ in.

LOOSE PIN, BALL TIPPED BUTTS.



Cast Bronze.

No. 61. Polished. Steel Bushed. 4½ x 4½, 5 x 5, and 6 x 6 in.
 No. Po71. Polished. Heavy. Double Steel Bushed. 4½ x 4½, 5 x 5, and 6 x 6 in.

Wrought Bronze.

No. Po69 $\frac{1}{4}$. Polished. Steel Bushed. $3\frac{1}{2} \times 3\frac{1}{2}$, 4×4 , $4\frac{1}{2} \times 4\frac{1}{2}$, 5×5 , and 6×6 in.

No. Po691/4. Antique Copper Finish. Steel Bushed. 41/2 x 41/2 and 5 x 5 in.

Wrought Steel.

No. 239. Bronze Plated and Polished. Heavy. $2\frac{1}{2} \times 2\frac{1}{2}$, 3×3 , $3\frac{1}{2} \times 3\frac{1}{2}$, 4×4 , $4\frac{1}{2} \times 4\frac{1}{2}$, 5×5 , and 6×6 in.

No. 241. Bronze Plated, not Polished. $3\frac{1}{2} \times 3\frac{1}{2}$, 4×4 , and $4\frac{1}{2} \times 4\frac{1}{2}$ in. **No. 289.** Bronze Plated, not Polished. Light. $2\frac{1}{2} \times 2\frac{1}{2}$ and 3×3 in. **No. 059\frac{1}{4}.** Antique Copper Finish. $2\frac{1}{2} \times 2\frac{1}{2}$, 3×3 , $3\frac{1}{2} \times 3\frac{1}{2}$, 4×4 , $4\frac{1}{2} \times 4\frac{1}{2}$, and 5×5 in.


No. 823. Bright. 2 x 2, 2½ x 2½, 3 x 3, 3½ x 3½, 4 x 4, 4½ x 4½, 5 x 5, 5½ x 5½, and 6 x 6 in.

Iron.

No. N70. Bronze Plated and Polished. 2½ x 2½, 3 x 3, 3½ x 3½, 4 x 4, 4½ x 4½, 5 x 5, and 6 x 6 in.




LOOSE PIN, BALL TIPPED BUTTS.



No. 031. Iron. 2 x 2, 21/2 x 21/2, 3×3 , $3\frac{1}{2} \times 3\frac{1}{2}$, 4×4 , $4\frac{1}{2} \times 4\frac{1}{2}$, and 5 x 5 in.

No. 032. Iron, Japanned. 2½ x 2½, 3 x 3, 3½ x 3½, 4×4 , $4\frac{1}{2} \times 4\frac{1}{2}$, and 5×5 in.

IRON BUTTS.



No. 80. Narrow. Fast Joint. 3, 3½, 4, 4½, and 5 in.
No. 82. Broad. Fast Joint. 2 x 2, 2½ x 2½, 3 x 3, 3½ x 3½, 4 x 4, 4½ x 4½, 5 x 5, 5½ x 5½, and 6 x 6 in.

WROUGHT STEEL BUTTS.



Fast Pin.

Loose Pin.

Fast Pin.

No. 284A. Light, Narrow. Bronzed. 2, 21/2, and 3 in.

No. 800. Narrow. 2, 21/2, 3, 31/2, and 4 in.

No. 838. Light, Narrow. 2, 21/4, 21/2, and 3 in.

No. 1317. Light, Narrow. Galvanized, with Brass Pins. 2 and 21/2 in.

Loose Pin.


No. 804. Broad. Reversible. 2 x 2, 2½ x 2½, 3 x 3, 3½ x 3½, 4 x 4, 4½

x $4\frac{1}{2}$, and 5 x 5 in.

No. 840. Light, Narrow. 2, 21/2, and 3 in.



SHUTTER FLAPS.




No. 842. Wrought Steel. 11/4 in.


No. 332A. Wrought Steel. Bronzed. 11/4 in.

No. 1071/2. Cast Bronze, Polished. 11/4 x 2 and 11/2 x 2 in.

BACK FLAPS.



No. 816. Wrought Steel. 1, 1¼, and 1½ in.
No. 1313. Wrought Steel. Galvanized. Brass Pin. 1¼ and 1½ in.




No. 814. Wrought Steel. 1, 11/4, 13/8, 11/2, 13/4, and 2 in.



FANCY FLAPS.


(Full-size Cuts.)




No. 1430. Wrought Brass, Polished.

No. 1430.

No. 76. Wrought Brass, Dipped or Nickel Plated.







No. 75. Wrought Brass, Dipped or Nickel Plated.




FANCY FLAPS.



No. 79. Wrought Brass, Polished. (One-half-size Cut.)




No. 60. Wrought Brass, Polished or Nickel Plated. (Full-size Cut.)




No. 50. Wrought Brass, Polished or Nickel Plated. (Full-size Cut.)

WATER CLOSET FLAPS.

(Full-size Cuts.)



No. 74. Wrought Brass, Nickel Plated.




No. 108. Wrought Brass, Nickel Plated.




WATER CLOSET FLAPS.

(Full-size Cut.)



No. 91. Wrought Brass. Nickel Plated.


WASH TRAY HINGES.




No. 1312. Wrought Steel, Galvanized, with Brass Pin. 2 x 41/4 in.




SHUTTER KNOBS.




No. 3170.




No. 1.



No. 10.



Nos. 1534 and N11596.



No. 11611/2.


- No. 1. Porcelain, Fast Screw. 5%, 34, 1, 1¼, and 1½ in.
 No. 10. Porcelain, Loose Screw. 5%, 34, 1, 1¼, and 1½ in.
 No. 1161½. Cast Bronze, Polished. 7% and 1½ in.
 No. 1534. Wrought Bronze, Polished. 1½ in.
 No. 1534. Wrought Bronze, Antique Copper Finish. 1½ in.
 No. 1534. Cast Bronze, Polished. 1½ in.
 No. 3170. Iron, Amber Bronzed. 1½ in.
 No. 3170. Iron, Amber Bronzed. 1½ in.

- No. 3170, 11 Finish. Iron, Copper Plated. 11/8 in. No. N11596. Wrought Iron, Bronze Plated. 1% in.



FLUSH SASH LIFTS.


(Full-size Cuts.)



No. 1105. Plain. 3 x 1% in. Cast Bronze, Polished.

No. 2215. Plain. 3 x 1% in. Wrought Bronze, Polished or Antique Copper Finish.

No. 3196. Ornamental. 3 x 134 in. Iron, Amber Bronzed.




Design "Concord."

No. 1318¼. $3\frac{1}{4} \times 1\frac{1}{2}$ in. Wrought Bronze, Polished or Antique Copper Finish.




FLUSH SASH LIFTS.


(Full-size Cuts.)



No. 1104. 25% x 1 in. Cast Bronze, Polished.



No. 2884. 27/8 x 11/8 in. Wrought Bronze, Polished.



No. 3366. 4 in. Iron, Amber Bronzed. No. 3366, 11 Finish. 4 in. Iron, Copper Plated.




BAR SASH LIFTS.

(One-half-size Cuts.)



No. 3395. 5 in. Iron, Amber Bronzed. No. 3395, 11 Finish. Iron, Copper Plated.



No. 5770. 5% in. Cast Bronze, Polished.




No. 9296. 5 in. Cast Bronze, Polished.




HOOK SASH LIFTS.


(Full-size Cuts.)




No. 532P.



No. 21801/2.



No. R11840.




No. 2184.

No. 532P. Cast Bronze, Polished.
No. 2180½. Wrought Bronze, Polished.
No. 2184. Cast Bronze, Polished.
No. R11840. Iron, Antique Copper Finish.




HOOK SASH LIFTS.

(Full-size Cuts.)



No. 3190.



No. 1840.


No. 1840. Iron, Amber Bronzed.

No. 1840, 11 Finish. Iron, Copper Plated.

No. 3190. Iron, Amber Bronzed. No. 3190, 11 Finish. Iron, Copper Plated.

SASH LIFT AND LOCK.

(Full-size Cut.)



No. 43131/2.

No. 3313. Ornamental. Iron, Amber Bronzed. No. 4313½. Plain. Cast Bronze, Polished. No. N13313. Plain. Iron, Bronze Plated.



SASH FASTENERS.


(One-half-size Cut.)




No. 103. Cast Bronze, Polished.

SASH LIFT AND LOCK.

(Full-size Cut.)






No. 4316. Cast Bronze, Polished.




FITCH SASH FASTENERS.

(Full-size Cuts.)



Ornamental. Iron, Amber Bronzed. No. 10. Plain. Iron, Antique Copper Finish. Plain. Bronze, Polished. No. 023.

No. 24.



No. 70. Ornamental. Iron, Amber Bronzed. No. 75. Ornamental. Iron, Copper Bronzed.


Plain. Iron, Antique Copper Finish. Plain. Bronze, Polished. No. 083.

No. 84.




IVES' SASH FASTENERS.

(Full-size Cuts.)



No. 404. Iron, Amber Bronzed.

No. 416. Iron, Amber Bronzed. Bronze Metal Knob.



No. 4331/2. Iron, Bronze Plated.


No. 434. Bronze, Polished.

No. 439. Iron, Antique Copper Finish. No. 534. Heavy. Bronze, Polished.




SASH FASTENERS.

(Full-size Cuts.)



No. N1326. Iron, Bronze Plated. No. 1326, 11 Finish. Iron, Copper Plated.



No. 1427. Iron, Amber Bronzed.

No. R1427. Iron, Antique Copper Finish.

No. N1427. Iron, Bronze Plated.

No. 14271/2. Bronze, Polished.



SASH FASTENERS.

(Full-size Cuts.)




Signal.

No. 570. Iron, Amber Bronzed.


No. 571. Iron, Bronze Plated.

No. 578. Bronze, Polished.

No. 573. Iron, Antique Copper Finish, Polished.



No. 20.




No. 12.

No. 12. Champion. Iron, Amber Bronzed. No. 20. Champion. Bronze, Polished.




SASH BOLTS.




No. 1405. Bronze, Polished. With 3 Strikes.

SHUTTER BARS.




No. T55. 2, 2½, and 3 in. Iron, Amber Bronzed. No. 3020. 2½ in. Iron, Copper Plated.




No. 914. 21/2 in. Cast Brass, Polished.

SHUTTER BARS.



No. R937. 2 in. Wrought Iron, Antique Copper Finish. No. N937. 2 in. Wrought Iron, Bronze Plated. No. 9371/2. 2 in. Wrought Bronze, Polished.

STOP BEAD ADJUSTERS.



No. 183. Bronze Metal. 14 or 14 in. x No. 10. Round Head Screw.

Taplin's Perfection.

No. 1. Bronze Metal. 11/4 in. No. 8 Bronze-plated Screws. No. 22. Steel, Antique Copper Finish. 11/4 in. No. 8 Screws.




WINDOW SPRINGS.

(Full-size Cuts.)




No. 15. Coppered.




No. 16. Wrought Iron, Cast Brass Bolt.

CASEMENT FASTENERS.


(Full-size Cuts.)




No. 02160. Cast Bronze, Polished.



CASEMENT FASTENERS.




No. 02161. Cast Bronze, Polished.




In ordering, state Hand required.



CASEMENT ADJUSTERS.



No. P74. 10 in. Copper Plated.




No. 043½. 12 and 15 in. Copper Plated.

No. 43½. 12 and 15 in. Bronze, Polished.

SASH CENTERS.

(Full-size Cuts.)



No. 1.

1% x ½ in. Japanned.


Japanned. Heavy. 2¾ x ¾ in. Japanned. Extra Heavy. 3¾ x 1¼ in. Japanned. Extra Heavy. 2¼ x ¾ in. No. 4. No. 18. No. 22.



SASH CENTERS.



No. 1306. Cast Bronze, Polished. Steel Bushed. 134, 2, and 214 in. wide.



Closed.

No. 1330.


Open.

No. 1330. 21/4 x 3/4 in. Cast Brass, Polished.

No. 1331. 23/4 x 11/2 in. Cast Bronze, Polished. Extra Heavy.

When ordering, state whether Open or Closed are wanted.






No. 20. 23/8 x 11/8 in. Iron. For recess sashes. No. 13331/2. 13/4 x 1 in. Iron, Amber Bronzed.

SASH PULL PLATES.

(Full-size Cuts.)



No. P1310.




Nos. 400 and 800P.

No. 400. Iron, Amber Bronzed. No. 800P. Cast Bronze, Polished. No. P1310. Cast Bronze, Polished.



SASH PULL HOOKS.



No. D315.

No. 1818.

No. P13151/2.

Iron, Amber Bronzed. Windsor Design. No. D315. No. P13151/2. Cast Bronze, Polished.

No. 1818. Cast Brass, Polished.



"SOLID GRIP" TRANSOM LIFTERS.

Can be used either for Top, Bottom, or Center-hinged Transoms.

Copper-bronzed Iron.

No. 303. 1/4 in Rod x 3 feet long.

No. 304. 1/4 in. Rod x 4 feet long.

No. 314. 5/16 in. Rod x 4 feet long.

No. 315. 5/16 in. Rod x 5 feet long.

No. 325. % in. Rod x 5 feet long.

No. 326. % in. Rod x 6 feet long.

No. 338. 1/2 in. Rod x 8 feet long.

Real Bronze Metal.

No. 0314. 5/16 in Rod x 4 feet long.


No. 0315. 5/16 in. Rod x 5 feet long.

No. 0326. % in. Rod x 6 feet long.

To find the proper length of Lifter wanted, measure from floor to center of Transom, then deduct 5 feet for a top or center-hung Transom; or 3½ feet for a Transom hung at the bottom.



TRANSOM CHAINS.



No. 0200. 12 and 15 in. Amber Bronzed. No. No200. 12 and 15 in. Bronze Plated.


DOOR BUTTONS.



No. 1883.



No. 196.



No. 10.


No. 1883. Cast Brass, Polished. 7/8 in.

No. 196. Wrought Brass, Polished. 11/4, 11/2, and 2 in.

No. 10. Japanned. 11/4, 11/2, 2, and 21/2 in.




DOOR BUTTONS ON PLATE.




No. 20.

No. 186. Wrought Brass, Polished. 2 in.




Nos. 187 and 1871/2.

No. 20. Japanned. 1½, 2, and 2½ in.



No. 186.

No. 187. Cast Brass, Polished. 17% in.
No. 187½. Cast Bronze, Polished. 17% in.



DROP CATCHES.


No. 54. Iron, Coppered.

ELBOW CATCHES.

No. 6300. Iron, Japanned.


No. 63001/2. Iron, Copper Plated.

No. 6500. Cast Brass, Polished.




CUPBOARD CATCHES.

(Full-size Cuts.)



No. 2270½. 1% x 1 in. Cast Bronze, Polished.
No. 2271½. 1% x 1¼ in. Cast Bronze, Polished.
No. 2272½. 1% x 1½ in. Cast Bronze, Polished.
No. N13270. 1% x 1 in. Iron, Bronze Plated.
No. N13271. 1% x 1¼ in. Iron, Bronze Plated.
No. N13272. 1¾ x 1½ in. Iron, Bronze Plated.
No. R13272. 1¾ x 1½ in. Iron, Bronze Plated.
No. R13272. 1¾ x 1½ in. Iron, Bronze Plated.




No. 3270. 1% x 1 in. Iron, Amber Bronzed. No. 3271. 1% x 1¼ in. Iron, Amber Bronzed. No. 3270, 11 Finish. 1% x 1 in. Iron, Copper Plated. No. 3271, 11 Finish. 1% x 1¼ in. Iron, Copper Plated.



CUPBOARD CATCHES.

(Full-size Cuts.)




No. 3029.

No. 3029. 1% x 1% in. Iron, Amber Bronzed.

No. 3030. 21/4 x 11/2 in. Iron, Amber Bronzed.

No. 3029, 11 Finish. 1% x 1% in. Iron, Copper Plated.

No. 3030, 11 Finish. 21/4 x 11/2 in. Iron, Copper Plated.



No. 13030.


No. 22651/2. 21/4 x 13/8 in. Cast Bronze, Polished.

No. Ni3029. 1% x 1% in. Iron, Bronze Plated. No. Ni3030. 24 x 1½ in. Iron, Bronze Plated.

No. R13030. 21/4 x 11/2 in. Iron, Antique Copper Finish.


CUPBOARD CATCHES.

(Full-size Cuts.)




Nos. 1271 and N11271.

No.	1229.	134 x 138 in.	Wrought Bronze, Polished.
No.	1270.	1 x 1% in.	Wrought Bronze, Polished.
No.	1271.	1% x 1% in.	Wrought Bronze, Polished.
No.	N11270.	1% x 1% in.	Wrought Iron, Bronze Plated.
No.	N11271.	1% x 1% in.	Wrought Iron, Bronze Plated.
No.	N 12029.	13/4 x 13/8 in.	Wrought Iron, Bronze Plated.
No.	N 12030.	2 x 1% in.	Wrought Iron, Bronze Plated.
No.	R12030.	2 x 1 % in.	Wrought Iron, Antique Copper Finish.




No. 63501/2. 2 x 1% in. Cast Bronze, Polished. In ordering, state whether regular or reverse bevel is wanted.

(Full-size Cuts.)




No. N13047. Wrought Iron, Bronze Plated. No. R13047. Wrought Iron, Antique Copper Finish.



No. T4230. Iron, Amber Bronzed.

(One-half-size Cuts.)




Nos. 22411/2 and 13041.

No. P1410. 11/8 x 15/8 in. Cast Bronze, Polished. No. 22411/2. 11/2 x 2 in. Cast Bronze, Polished.

No. N13041. 1½ x 2 in. Iron, Bronze Plated.

No. R13041. 1½ x2 in. Iron, Antique Copper Finish.




No. 3041. Iron, Amber Bronzed. Bronze Metal Knob.


No. N3041. Iron, Bronze Plated.

No. 3041, 11 Finish. Iron, Copper Plated.

(One-half-size Cuts.)




No. 2242½. Cast Bronze, Polished. No. N13042. Iron, Bronze Plated. No. R13042. Iron, Antique Copper Finish.



No. 3042. Iron, Amber Bronzed. Bronze Metal Knob. No. N3042. Iron, Bronze Plated.



(Full-size Cut.)




No. 20391/2. Cast Bronze, Polished.

No. N13039. Iron, Bronze Plated.
No. R13039. Iron, Antique Copper Finish.

TRANSOM CATCHES.

(Full-size Cut.)




No. 3279. Iron, Amber Bronzed.




TRANSOM CATCHES.

(Full-size Cuts.)



No. 36. Cast Bronze, Polished.



No. 2278½. No. N13278.


Plain. Cast Bronze, Polished.
Plain. Iron, Bronze Plated.

No. 3278. Ornamental. Iron, Amber Bronzed.




SCREEN DOOR CATCHES.

(One-half-size Cuts.)



With Bronze Polished Knobs.

No. P448½. Iron, Bronze Plated. Reverse Bevel. With Stop.No. P1448. Cast Bronze, Polished. Reverse Bevel. With Stop.



WINDSOR DESIGN.

With Amber Bronzed Lever Handles.

No. D443. Iron, Amber Bronzed. Reverse Bevel. With Stop.



SCREEN DOOR CATCHES.


(Full-size Cut.)

With 1 pair Amber Bronzed Knobs.

No. 3052. Iron, Amber Bronzed. Reverse Bevel. With Stop.

DRAWER PULLS.

(Three-quarter-size Cut.)



----,



DRAWER PULLS.



No. 2103½. 15% x 37% in. Wrought Bronze, Polished. No. 2106½. 1½ x 3½ in. Wrought Bronze, Polished. No. 2107½. 1¼ x 3 in. Wrought Bronze, Polished.


No. 02103 $\frac{1}{2}$. 1 $\frac{1}{8}$ x 3 $\frac{1}{8}$ in. Wrought Steel, Amber Bronzed. No. 02106 $\frac{1}{2}$. 1 $\frac{1}{4}$ x 3 $\frac{1}{8}$ in. Wrought Steel, Amber Bronzed. Wrought Steel, Amber Bronzed.

 No. No2103½.
 15% x 3% in.
 Wrought Steel, Bronze Plated.

 No. No2106½.
 1½ x 3½ in.
 Wrought Steel, Bronze Plated.

 No. No2107½.
 1¼ x 3 in.
 Wrought Steel, Bronze Plated.


No. Ro2103 $\frac{1}{2}$. 1 $\frac{1}{8}$ x 3 $\frac{3}{8}$ in. Wrought Steel, Antique Copper Finish. No. Ro2107 $\frac{1}{2}$. 1 $\frac{1}{4}$ x 3 in. Wrought Steel, Antique Copper Finish. Wrought Steel, Antique Copper Finish.



No. 1352. 2% x l in. Cast Bronze, Polished. No. 1353. 3% x l in. Cast Bronze, Polished.



DRAWER PULLS.




 No. 1358.
 % x 3¼ in.
 Cast Bronze, Polished.

 No. 1359.
 % x 3¾ in.
 Cast Bronze, Polished.

 No. 1360.
 1 x 4¼ in.
 Cast Bronze, Polished.


 No. Ro1359.
 % x 3¾ in.
 Iron, Antique Copper Finish.



No. 3358. % x 3¼ in. Iron, Amber Bronzed. No. 3359. % x 3¾ in. Iron, Amber Bronzed. No. 3360. 1 x 4¼ in. Iron, Amber Bronzed.

No. 3358, 11 Finish. % x 3 ¼ in. Iron, Copper Plated. No. 3359, 11 Finish. % x 3 ¾ in. Iron, Copper Plated. No. 3360, 11 Finish. 1 x 4 ¼ in. Iron, Copper Plated.

DRAWER PULLS.



Plain.

No. 1241½. 3½ x 1% in. Cast Bronze, Polished. No. 1242½. 35% x 1% in. Cast Bronze, Polished. No. N101242. 3% x 1% in. Iron, Bronze Plated.

Ornamental.

No. 01241. 31/8 x 13/8 in. Iron, Amber Bronzed. No. 01241, 11 Finish. 31/8 x 13/8 in. Iron, Copper Plated. No. 01242. 35/8 x 13/8 in. Iron, Amber Bronzed. No. 01242, 11 Finish. 3\% x 1\% in. Iron, Copper Plated.




No. 01225. 31/4 x 11/4 in. Iron, Amber Bronzed.

No. 01225, 11 Finish. 3¼ x 1¼ in. Iron, Copper Plated. No. 01226. 3¾ x 1¾ in. Iron, Amber Bronzed.

No. 01226, 11 Finish. 3\% x 1\% in. Iron, Copper Plated.

(One-half-size Cuts.)



Style of P940.

No. 91. Cast Bronze, Polished. Height, 3% in. overall; projects 31/2 in. No. P940, o11 Finish. Iron, Copper Bronzed. Height, 3% in. overall; projects 3¼ in.


No. P940, 24 Finish. Iron, Antique Copper Finish. Height, 3¾ in. over-

all; projects 31/4 in.


No. 2872. Wrought Steel, Bronze Plated, not Polished.



(One-half-size Cuts.)




No. 94. Cast Bronze, Polished; Wrought Plate.




No. 012381/2. Cast Bronze, Polished; Wrought Plate.



(One-half-size Cuts.)



Nos. 7½, 8, 108, and 317.




No. 92.


No.	71/2.	Iron,	Japanned.	Heavy.
No	8.	Iron,	Japanned.	Light.
No.	92.	Iron,	Japanned.	
No.	108.	Iron,	Coppered.	Light.
No.	317.	Iron.	Coppered.	Heavy.



(One-half-size Cuts.)



No. og1.




No. 20.


No. 091. Iron, Japanned. No. 20. Iron, Japanned.



(Full-size Cuts.)



No. 170. Iron Wire, Coppered.




No. 123. Iron Wire, Amber Bronzed. No. 5123. Iron Wire, Brass Plated.



WARDROBE HOOKS.




(One-half-size Cuts.)




Iron, Copper Bronzed. No. 59. No. 249. Iron, Bronze Plated.

CEILING HOOKS.



Nos. 1325 and 01325.



Nos. 105, 1325½, and 01325½.

No. 105. Iron, Copper Bronzed.

No. 1325. Cast Bronze, Polished.


No. 01325. Iron, Bronze Plated.

No. 13251/2. Cast Bronze, Polished.

No. 013251/2. Iron, Bronze Plated.




CEILING HOOKS.







HARNESS HOOKS.







GATE OR SHUTTER HOOKS AND EYES.



Bright Iron Wire.....Per gro., \$22.00

30.00

8

26.00

40.00 50.00

10

30.00

60.00


16 in.

. 60.00

12

40.00

CABIN DOOR HOOKS.



No. 773. 21/2 in.

3 in. Light. Cast Brass, Polished; Wrought Plates. 2½ in. Heavy. Cast Brass, Polished; Wrought Plates. 4 in. Heavy. Cast Brass, Polished; Wrought Plates. No. 762. No. 773. 6 in. Extra Heavy. Cast Brass, Polished; Wrought Plates.



No. 674. 4 in. Heavy. Cast Bronze, Polished. No. 676. 6 in. Heavy. Cast Bronze, Polished. No. 678. 8 in. Heavy. Cast Bronze, Polished.

HINGE HASPS.



No. 912. Wrought Steel. 3, 41/2, 6, 8, and 10 in.




HINGE HASPS.




(One-half-size Cut.)

No. 941J. Wrought Steel, Japanned. Extra Heavy.




(One-half-size Cut.)

No. 4. Cast Brass, Polished.



No. P1704. 1¼ x 2¼ in. Cast Bronze, Polished. With Machine Screws. 1¾ x 3 in. Cast Bronze, Polished. With Machine Screws.


BARREL BOLTS.



No. 362. Iron, Japanned Plate, Brass Knob and Polished Bolt. 3, 4, 5, and 6 in.


No. 408. Wrought Steel, Bronzed. 3, 4, and 5 in.

No. 1084. Wrought Steel, Japanned Plates, Brass Knob and Polished Bolt. 3, 4, 5, and 6 in.




No. 1108. Heavy. Wrought Brass, Polished. 3, 4, and 5 in.






No. 141. Cast Brass, Polished. 3 and 4 in.



No. 145. Cast Brass, Polished. 3, 4, and 5 in.


SQUARE NECK SPRING BOLTS.



No. 1102. Wrought Steel. 4, 6, and 8 in.



SQUARE BOLTS.




No. 1088.

No. 1088. Wrought Steel, Japanned Plate. With Plain Staples. 3, 4, 5, 6, 7, 8, 10, and 12 in.

No. 1090. Wrought Steel, Japanned Plate. With Floor Plates. 3, 4, 5, 6, 7, 8, 10, and 12 in.

SQUARE CASE DOOR BOLTS.




No. 149. Cast Brass, Polished. 2, 3, and 4 in. No. 2144½. Cast Bronze, Polished. 3 and 4 in.




MORTISE DOOR BOLTS.

(Full-size Cuts.)



No. 294A. Iron, Amber Bronzed Plate.




No. 06541/2. Wrought Bronze, Polished.

No. 06541/2. Wrought Bronze, Antique Copper Finish.




MORTISE DOOR BOLTS.

(One-half-size Cuts.)




No. 2092. Wrought Steel, Bronze Plated.




No. 96. Wrought Bronze, Polished.

FLUSH BOLTS.




No. P1867. 8, 12, and 18 in. long. Cast Bronze, Polished. Extra Heavy. 1\% in. wide.


FLUSH BOLTS.



No. 2356. 8, 12, 15, 18, and 24 in. long. Bronze Metal, Polished; Iron Bolt, Brass Head, Patent Stop. 11/8 in. wide.



No. 2362. 10, 12, and 18 in. long. Bronze Metal, Polished. 11/4 in. wide.



No. 400. 9, 12, 15, 18, 24, and 30 in. long. Wrought Steel, Bronze Plated. 14 in. wide.

No. 400. 9, 12, and 18 in. long. Wrought Steel, Antique Copper Finish. 11/4 in. wide.

No. 1026. 9, 12, and 18 in. long. Wrought Steel. 1 in. wide.

No. 1028. 9, 12, 15, 18, 24, and 30 in. long. Wrought Steel. 11/4 in. wide.


SURFACE BOLTS.




Wrought Steel. 1¾ in. wide. ¾ in. Square Bolts. 8, 10, 12, 15, 18, and 24 in. long.

No. 1054.

Wrought Steel. 1¼ in. wide. ½ in. Square Bolts. 8, 10, 12, 15, 18, and 24 in. long.




Floor Plate.



In ordering, please state whether Floor Plate or Staple is required.




FOOT BOLTS.



(One-third-size Cut.)

No. P1618. Cast Bronze, Polished. Extra Heavy. 6 and 8 in.




No. T1491A. (One-half-size Cut.)

No. T1491A. Iron, Amber Bronzed. 6 in. No. 3250. Iron, Bronze Plated. 8 in.

CHAIN DOOR FASTENERS.

(One-third-size Cut.)




No. 3264. 6 in. Iron, Amber Bronzed. No. N3264. 6 in. Iron, Bronze Plated.




CHAIN DOOR FASTENERS.


(One-third-size Cuts.)



No. Y156. 6 in. Iron, Bronze Plated.



No. P1343. 6 in. Cast Bronze, Polished.





No. 1500. 6 in. Cast Bronze, Polished.




CHAIN DOOR FASTENERS.

(One-third-size Cuts.)






No. 472. 6 in. Cast Brass, Polished.




No. 2264½. 6 in. Cast Bronze, Polished.

No. 2264½. 6 in. Cast Bronze, Antique Copper Finish.

CHAIN BOLTS.




No. 381. Japanned. Polished Bolt. 3, 4, 5, 6, and 8 in.



No. T1481A. Iron, Amber Bronzed. 3, 4, and 6 in.

No. T1484A. Iron, Amber Bronzed. Extra Heavy. Reverse Bevel. 6 in.

No. N3253. Iron, Bronze Plated. 8 in.



No. 1883P. Extra Heavy Bronze Metal, Polished. 6 in.




DOOR HOLDERS.

(One-third-size Cuts.)



No. 3860.



No. 4234.

No. 3860. Iron, Amber Bronzed. No. N3860. Iron, Bronze Plated.

No. R3860. Iron, Antique Copper Finish.

No. T4234. Iron, Bronze Plated. No. Y4234. Iron, Amber Bronzed.




DOOR HOLDERS.

(Full-size Cuts.)

No. 3. Cast Bronze, Polished.


DOOR STOPS OR CLOSET STRIKERS.




No. 2. Cast Bronze, Polished. No. 3. Cast Bronze, Nickel Plated.




DOOR STOPS.



No. 100. 2½ and 3 in. Ash. End, Rubber Tipped.






No. 130. 2½ in. Ash. Side, Rubber Tipped.

No. 10. 13/8 in. Polished Walnut or Antique Oak. Rubber Band 3/4 in.


Wide. 2 in. Oval Head Polished Screw.

DOOR STOPS.



(Full-size Cut.)

No. 150. 21/2 in. Polished Cherry or Antique Oak. End, Rubber Tipped.



One-half-size Cut of No. 366.



One-half-size Cut of No. P1725.

No. 366. Bronze, Polished. Side, Rubber Tipped. No. P1725. Bronze, Polished. End, Rubber Tipped.



HAND RAIL SCREWS.




Single Nut. 5/16 in. diameter; 4, 41/2, and 5 in. long.



Double Nut. 5/16 in. diameter; 4, 41/2, and 5 in. long.


HAND RAIL BRACES.



No. 52. Wrought Iron. 5, 6, or 7 in. to center of Rail.



HAND RAIL BRACKETS.




No. 100. Iron, Amber Bronzed. 2% in. to center of Rail.

No. 100, 11 Finish. Iron, Copper Plated. 23/4 in. to center of Rail.


No. 101. Iron, Amber Bronzed. 4 in. to center of Rail.


No. 101, 11 Finish. Iron, Copper Plated. 4 in. to center of Rail. No. 0100½. Bronze Metal. Plain. 3 in. to center of Rail.





SHELF BRACKETS.






Folding No. 690.

Wrought Steel, Japanned or Nickel Plated. 8 x 8, 12 x 12, and 16 x 16 in.

Our Folding Bracket is for folding or swinging shelves. It locks automatically when lifted up, and can be let down entirely out of the way in an instant.


SHELF BRACKETS.



No. 8.



SHELF BRACKETS.



No. 41. Brass, Nickel Plated. 4 x 5, 7 x 9, and 9 x 11 in.

VENTILATORS.

No. 105. 6 in. Japanned.


VENTILATOR FACES.


6 in. Japanned.




GATE LATCHES.

(One-half-size Cuts.)





Catch for Nos. 8 and 9.




No. 8. Mortise, Japanned. To swing both ways.

No. 9. Rim, Japanned. To swing both ways.



GATE LATCHES.

(One-half-size Cuts.)




No. 1. To swing one way.

No. 3. To swing two ways.




GATE HINGES.

(One-quarter-size Cuts.)




Upper Hinge.




Lower Hinge.

No. 224. Self-shutting. To swing both ways.



Upper Hinge.




Lower Hinge.

No. 274. Self-shutting. To swing both ways.



STRAP HINGES.




No. 900. Light.
3, 4, 5, 6, 8, 10, and 12 inches.

No. 902. Heavy.
4, 5, 6, 8, 10, 12, and 14 inches.

No. 1302. Heavy. Galvanized. Steel Pin.
6, 8, 10, and 12 inches.

T HINGES.



No. 904. Light. 3, 4, 5, 6, 8, 10, and 12 inches.

No. 906. Heavy. 4, 5, 6, 8, 10, and 12 inches.


No. 1304. Heavy. Galvanized. Steel Pin. 6, 8, and 10 inches.

No. 908. Extra Heavy. 6, 8, 10, 12, and 14 inches.

No. 1306. Extra Heavy. Galvanized. Steel Pin. 6, 8, 10, 12, and 14 inches.



ROLLED PLATE HINGES.




HOOK HINGES.



No. 78. For Wood or Stone. 12, 14, 16, 18, and 20 in.

BLIND FASTENERS.




No. 1680. Iron, for Wood.

No. 1680½. Iron, for Brick.

For Blind Fasteners and Hinges in Sets, see page 226.



BLIND FASTENERS.




For 11/4 and 11/2 in. Blinds.

No. 1684. For Wood. Wrought Steel.

For Wood. Wrought Steel, Galvanized. No. 1684.


No. 16841/2. For Brick. Wrought Steel.

BLIND HINGES.



No.1642.

Nos. 1640 and 1360.



For Brick.

No. 1360. For Wood. Wrought Steel, Galvanized. 8 in.

No. 1640. For Wood. Wrought Steel. 8 in. No. 1642. For Wood. Wrought Steel. 8 in.

No. 1644. For Brick. Wrought Steel. 8 in.


No. 1646. For Brick. Wrought Steel. 8 in. For Blind Hinges and Fasteners in Sets, see page 226.



BLIND HINGES.



No. 52. For Wood. Wrought Iron. 10, 12, and 14 in.




No. 54. For Brick. Wrought Iron. 10, 12, and 14 in.



No. 940. For Wood. 10, 12, and 14 in.




BLIND HINGES.



For Wood.

No. 1647.

Wrought Steel. Throws blind 1¼ in. from casing.



For Wood.

Clark's No. 1.

Throws blind 1¼ in. from casing.



BLIND HINGES AND FASTENERS IN SETS.

2 pair Hinges and 1 pair Fasteners constitute a set.


For Wood.

No. 1640 x 1680. Hinge No. 1640, 8 in. Wrought Steel illustrated on page 223. Fastener No. 1680, Iron; illustrated on page 221.

For Brick.


No. 1644 x 1680½. Hinge No. 1644, 8 in. Wrought Steel; illustrated on page 223. Fastener No. 1680½, Iron; illustrated on page 221.

BLIND ADJUSTERS.





"Domestic." Malleable Iron, Japanned. 13 in.



Zimmerman's. Wrought Steel, Japanned. 12 in. Zimmerman's. Wrought Steel, Galvanized. 12 and 14 in.




STORM SCREEN SASH FIXTURES.



No. 1714. Invisible Hanger.



No. 1716. Visible Hanger.




No. 1718. Fastener.

No. 1714. Wrought Steel, Japanned. Are to be fastened on the inside of each upper corner of the window casing and upon the outside of each upper corner of the sash.


No. 1716. Wrought Steel, Japanned. Are to be fastened on the outside of the top window casing and upon the outside of the top rail of the sash.

No. 1718. Wrought Steel, Japanned. 10 in. long. The illustration shows how the fastener is to be applied to the sash and to the window frame.



DROPS AND PINS.

No. 10. Japanned, on Plate.







SASH WEIGHTS.

Standard Sizes.

IRON.




LEAD.





SASH CORD.



Silver Lake. White Braided, Grade B, No. 7. 7_{32} in. Silver Lake. White Braided, Grade B, No. 8. $\frac{1}{4}$ in. Silver Lake. White Braided, Grade B, No. 10. $\frac{5}{16}$ in. Eureka. White Braided, No. 7. $\frac{7}{32}$ in. Eureka. White Braided, No. 8. $\frac{1}{4}$ in. India. Twist. No. 8. $\frac{1}{4}$ in.

SASH CHAIN.



No. 1. Copper. For sash weighing not over 100 lbs.

No. 1. Steel. For sash weighing not over 100 lbs.


No. 2. Copper. For sash weighing not over 60 lbs.

No. 2. Steel. For sash weighing not over 60 lbs.

Fastenings for hanging windows.



No. 10. Copper., For sash weighing not over 250 lbs. No. 10. Steel. For sash weighing not over 250 lbs. Fastenings for hanging windows.



PULLMAN SASH BALANCES.

Amber Bronzed Front. Nos. 0 to 17 have round ends, Nos. 19 to 23 have square ends. A set contains 4 balances, enough for two sash.


Balances larger than No. 12 are made to order only; therefore they cannot be exchanged.

No.	Weight	Length		sions of Plate.	Dir	of	Per Set	
	Sash.	Tape.	Length.	Width.	Length	Width.	Depth.	of 4.
0	4 to 5 lbs.	30 in.	3½ in.	1 in.	2½ in.	7/8 in.	2½ in.	\$2.40
1	6 to 7 lbs.	30 in.	$3\frac{1}{2}$ in.	1 in.	21/2 in.	7/8 in.	$2\frac{1}{2}$ in.	2.40
2	8 to 9 lbs.	30 in.	$3\frac{1}{2}$ in.	1 in.	$2\frac{1}{2}$ in.	1/8 in.	$2\frac{1}{2}$ in.	2.60
3	10 to 11 lbs.	46 in.	41/4 in.	11/8 in.	3 in.	$1\frac{1}{16}$ in.	3 in.	2.80
4 5	12 to 13 lbs.	46 in.	41/4 in.	11/8 in.	3 in.	1_{16}^{1} in.	3 in.	3.10
	14 to 15 lbs.	46 in.	41/4 in.	11/8 in.	3 in.	116 in.	3 in.	3.40
6	16 to 17 lbs.	46 in.	5 in.	11/4 in.	3½ in.	$1\frac{3}{16}$ in.	35% in.	3.70
7	18 to 19 lbs.	46 in.	5 in.	11/4 in.	$3\frac{1}{2}$ in.	1_{16}^{3} in.	35% in.	4.00
8	20 to 21 lbs.	46 in.	5 in.	1¼ in.	$3\frac{1}{2}$ in.	$1_{\frac{1}{3}6}^{3}$ in.	35% in.	4.70
9	22 to 23 lbs.	46 in.	5 in.	1¼ in.	3½ in.	$1\frac{3}{16}$ in.	35% in.	5.00
10	24 to 26 lbs.	54 in.	$5\frac{3}{4}$ in.	13% in.	4¼ in.	1_{16}^{5} in.	4 in.	5.30
11	27 to 29 lbs.	54 in.	5¾ in.	13% in.	41/4 in.	$1_{\frac{1}{16}}^{\frac{5}{16}}$ in.	4 in.	5.50
12	30 to 32 lbs.	54 in.	$5\frac{3}{4}$ in.	13% in.	41/4 in.	$1\frac{5}{16}$ in.	4 in.	6.00
13	33 to 35 lbs.	54 in.	$6\frac{1}{2}$ in.	1½ in.	434 in.	$1\frac{1}{16}$ in.	4½ in.	6.50
14	36 to 38 lbs.	54 in.	$6\frac{1}{2}$ in.	1½ in.	$4\frac{3}{4}$ in.	$1\frac{7}{16}$ in.	4½ in.	7.00
15	39 to 41 lbs.	54 in.	$6\frac{1}{2}$ in.	1½ in.	$4\frac{3}{4}$ in.	$1_{\frac{7}{16}}$ in.	4½ in.	7.50
16	42 to 44 lbs.	54 in.	$6\frac{1}{2}$ in.	$1\frac{1}{2}$ in.	43/4 in.	1_{16}^{7} in.	4½ in.	8.50
17	45 to 48 lbs.	54 in.	$6\frac{1}{2}$ in.	$\frac{11}{2}$ in.	43/4 in.	$1\frac{7}{16}$ in.	4½ in.	9.50
19	49 to 52 lbs.	60 in.	83% in.	2 in.	6 in.	2 in.	5½ in.	11.00
21	53 to 56 lbs.	60 in.	83% in.	2 in.	6 in.	2 in.	$5\frac{1}{2}$ in.	12.00
23	57 to 60 lbs.	60 in.	83% in.	2 in.	6 in.	2 in.	5½ in.	13.00



SASH PULLEYS.

Noiseless.



Cut shows Square End, Round Groove.

SQUARE END, ROUND GROOVE.

Turned and Polished Wheel.

No. 77. Amber Bronzed Front. 2, 2¼, and 2½ in. Wheel.

No. P177. Bronze-plated Front. 2, 2¼, and 2½ in. Bronze-plated Wheel.

No. P177¼. Wrought Bronze Front. 2, 2¼, and 2½ in. Bronze-plated Wheel.

ROUND END, ROUND GROOVE.

Turned and Polished Wheel.

No. 77½. Amber Bronzed Front. 2, 2¼, and 2½ in. Wheel.

No. P177. Bronze-plated Front. 2, 2¼, and 2½ in. Bronze-plated Wheel.

No. P177¾. Wrought Bronze Front. 2, 2¼, and 2½ in. Bronze-plated Wheel.


Wheel.

Size of Front of above Pulleys.

Wheel,		21/4	2½ in.
Nos. 77, P177, and P1177¼	$\frac{4\frac{9}{16} \times 1\frac{1}{16}}{4\frac{5}{8} \times 1}$	$5\frac{5}{16} \times 1\frac{3}{16} $	5% x 1 ³ / ₁₆
Nos. 77½, P177½, and P1177¾		$5\frac{5}{8} \times 1\frac{3}{8}$	5% x 1 ¹ / ₄

SASH PULLEYS.

Noiseless.



Cut shows Round End, Square Groove.

For % inch Chain.

SOUARE END, SQUARE GROOVE.

Turned and Polished Wheel.

No. 80. Amber Bronzed Front. 2, 2¼, and 2½ in Wheel.
No. Pi80. Bronze-plated Front. 2, 2¼, and 2½ in. Bronze-plated Wheel. No. P11804. Wrought Bronze Front. 2, 214, and 21/2 in. Bronze-plated Wheel.

ROUND END, SQUARE GROOVE.

Turned and Polished Wheel.

No. 80½. Amber Bronzed Front. 2, 2¼, and 2½ in. Wheel.

No. P180½. Bronze-plated Front. 2, 2¼, and 2½ in. Bronze-plated Wheel.


No. P118034. Wrought Bronze Front. 2, 21/4, and 21/2 in. Bronze-plated Wheel.

Size of Front of Above Pulleys.

Wheel,	2	21/4	2½ in.
Nos. 80, P180, and P1180¼ No. 80½, P180½, and P1180¾		$\begin{array}{c} 5\frac{5}{16} \times 1\frac{3}{16} \\ 5\frac{5}{8} \times 1\frac{1}{8} \end{array}$	$5\frac{7}{8} \times 1\frac{3}{16}$ $5\frac{7}{8} \times 1\frac{1}{4}$



SASH PULLEYS.




No. 127. Round End, Round Groove. $4\frac{1}{16} \times 1$ in. Plain Front; $1\frac{3}{4}$ in. Polished Wheel.

No. 412. Round End, Round Groove. $4\frac{7}{16} \times 1$ in. Plain Front; 2 in. Polished Wheel.


SLIDING DOOR SHEAVES.

(Full-size Cut.)



No. 5854. Iron Case. 14 in. Turned Brass Polished Wheel. Fits %, 1, and 14 in. Rail.


SLIDING DOOR SHEAVES.



Hatfield's Pattern.

Japanned Case, Turned Wheel, and Axle.

Diameter of Wheel	21/2	3	4	5 in.
Length of Run	33	42	46	51 in.




Japanned Case. No. 1, Unturned Wheel; Nos. 2 to 5, Turned Wheel.

No. 9. Anti-Friction, Japanned Case. 3, 4, and 5 in. Turned Wheels.




SLIDING DOOR SHEAVES.




No. 589. Iron, Japanned. 4 in.

BARN DOOR HANGERS.



Lane's No. Sii. For doors to run 5 feet. Lane's No. Si2. For doors to run 10 feet.

BARN DOOR HANGERS.




No. 134. Steel. Pendant, 7 in. long x 1½ in. wide. Wheel, 2 in. diameter.

No. 142. Steel. Roller Bearing. Pendant, $10\frac{1}{2}$ in. long. Wheel, $3\frac{1}{4}$ in. diameter.



BARN DOOR HANGERS.




No. 12. Extra Heavy, Japanned. With 4 in Square Groove Wheel.

No To	Hoavy	Japanned.						Wheel	
140. 13.	ileavy.	bapanneu.	AATOH	0	111.	nound	Groove	witteer.	
No TA	Heavy	Jananned	With	1	in	Round	Crooxo	Whool	

No. 14. Heavy. Japanned. With 4 in. Round Groove Wheel. No. 15. Heavy. Japanned. With 5 in. Round Groove Wheel. No. 72. Heavy. Japanned. With 4 in. Square Groove Wheel.

McCABE'S PARLOR DOOR HANGERS.




This hanger is absolutely noiseless, easily attached, simple in construction and has ball bearings. All parts are case-hardened. The Bearings are constructed with the same care as those in bicycles, thereby reducing friction to a minimum. The track is made of cold drawn steel, with a parallel slot having flanges on both sides. The inside surfaces of the track in which the ball-bearing carriages travel are as smooth as it is possible to make them. There is an adjustment on the track so that the doors may be readjusted at any time.

	SINGLE	DOORS		DOUBLE DOORS				
Opening List		Opening	List	Opening	List	Opening	List \$6.00 7.00 7.00 7.00 7.00	
2 ft. 6 in. 3 ft. 0 in. 3 ft. 6 in. 4 ft. 0 in. 4 ft. 6 in. 5 ft. 0 in.	\$3.00 3.00 3.50 4.00 4.00 4.00	5 ft. 6 in. 6 ft. 0 in. 6 ft. 6 in. 7 ft. 0 in. 7 ft. 6 in. 8 ft. 0 in.	\$4.50 4.50 5.00 5.00 5.50 5.50	4 ft. 0 in. 4 ft. 6 in. 5 ft. 0 in. 5 ft. 6 in. 6 ft. 0 in.	\$6.00 6.00 6.00 6.00 6.00	6 ft. 6 in. \$7 ft. 0 in. 7 ft. 6 in. 8 ft. 0 in.	7.00 7.00	



LANE'S "STANDARD" PARLOR DOOR HANGERS.



The Lane Standard Parlor Door Hanger is made entirely of steel, except the silent tread of wheel. It is thoroughly well made and guaranteed.

For Double Doors.


Each door to slide four feet or less. Set contains four hangers, 14 feet of track, gravity stops, striking plates, floor guides, and all screws.

For Single Doors.

For door to slide four feet or less. Set contains two hangers, 8 feet of track, and all necessary fixtures.



LANE'S "NEW CHAMPION" PARLOR DOOR HANGERS.



Made of steel, excepting the wheel, which is of iron. Has anti-friction roller bearings and is adapted to any length of run.

The adjusting nut extends through the base plate and has a serrated projecting flange, both above and below, by which it may be turned.

For Double Doors.

Set contains four hangers, 14 feet of 1 in. track, gravity stops, striking plates, floor guides, and all screws.


For Single Doors.

Set contains two hangers, 8 feet of 1 in. track, and all necessary fixtures.




SLIDING DOOR RAIL.


(Full-size Cuts.)



1/8 in. wide. Wrought Brass, Polished.



ı in. wide. Wrought Brass, Polished.



1½ in. wide. Wrought Brass, Polished. 1½ in. wide. Wrought Steel, Brass Plated.

Above rail can be furnished in 5 and 6 feet lengths.



SLIDING DOOR RAIL.



No. 135. Cast Iron, Painted. 11/4 in. wide. In 2 ft. lengths.


BARN DOOR RAIL.



No. 34. Cast Iron. ½ in. wide. In 2 ft. lengths. No. 35. Cast Iron. 5% in. wide. In 2 ft. lengths.



No. 4. Cast Iron. In 2 ft. lengths. For Square Groove Wheels.




"O.N.T." 11/4 x 3/16 in. In 4, 5, 6, and 8 ft. lengths.



DUMBWAITER FIXTURES.

SPRINGFIELD.



The Springfield Dumbwaiter Fixture is adapted to all kinds of dumbwaiters where loads under 300 lbs. are to be carried.


The illustration shows the fixtures in position. There are no forked rimmed wheels, rollers, ratchets, or cogs which are ordinarily used on hand elevators, thus doing away with countless wearing parts.

The weight of the fixture is 25 lbs., diameter of large wheel, 12½ in., and of small wheels 3 and 4 in..

Each set contains 5 small pulleys and 1 large wheel, with full directions for erecting, enabling every person to easily put them up.



DUMBWAITER ROPE CLAMPS.



No. 2. Japanned. For 1/2 or 3/8 in. Rope.

DUMBWAITER WEIGHTS.

See Sash Weights on page 229.

MANILA ROPE.


Diameter	1/4	5/16	3/8	1/2	5/8	3/4	1	in.
Circumference	3/4	1	11/8	11/2	2	21/4	3	in.
Approximate No. of ft. to lb.	48	27	211/2	141/2	71/3	6	31/2	ft.
Approximate weight of coil	50	60	70	90	140	170	285]	lbs.
Strength	758	1064	1473	3100	3775	6206	10663 1	lbs.

COTTON ROPE.

Diameter	3/16	5/16	5/8 in.
Approximate No. of ft. to lb	100	40	9½ ft.
Approximate weight of coil	30	30	40 lbs.




STAPLES.




Wrought Iron. 1, 11/4, 11/2, 2, 21/2, 3, 31/2, 4, 5, and 6 in.

HASPS AND STAPLES.



Wrought Iron. 5, 6, and 8 in.

HOOKS AND STAPLES.




Wrought Iron. 4, 5, and 6 in.

On Plates.

Wrought Iron, Galvanized. 4 and 6 in. Wrought Iron. 4 and 6 in.

See Price List.

AWNING HOOKS.



Wrought Iron. 1¼, 1½, 2, 2½, 3, 3½, 4, 5, and 6 in.

CLOTHES LINE HOOKS.

Similar to Awning Hooks illustrated above.

No. 85. For Wood. Wrought Iron, Galvanized.No. 87. For Brick. Wrought Iron, Galvanized.


HOLD FASTS.




- No. 1. Slim. Wrought Iron. 4 in. 1 Screw-hole.
- No. 2. Slim. Wrought Iron. 5 in. 1 Screw-hole.
- No. 3. Regular. Wrought Iron. 4 in. 1 Screw-hole.
- No. 4. Regular. Wrought Iron. 5 in. 2 Screw-holes.
- No. 5. Regular. Wrought Iron. 6 in. 3 Screw-holes.
- No. 6. Extra Heavy. Wrought Iron. 6 in. 2 Screw-holes.
- No. 7. Extra Heavy. Wrought Iron. 8 in. 3 Screw-holes.

AMMACHER S CHLEMMER TO WORK.

ANGLE PLATES.





No. 997. Wrought Steel.


Length of sides Width of sides	1 1/2	1½ 1/2	2 5⁄8	2½ 5/8	3 3/4	4 7/8	* 5	6 in. 1½ in.
* We have	this	size in	both	plain	and ga	lvanized		

No. 70 Malleable Iron.

Length of sides	2	21/2	3	31/2	41/4	5	6 in.
Width of sides	5/8	5/8	11/16	11/16	7/8	1	1½ in.




CORNER IRONS.



No. 14 gauge Wrought Steel. Width of sides, $\frac{3}{4}$, $\frac{7}{8}$, 1, 1 $\frac{1}{8}$, and $\frac{1}{4}$ in.; sides, $\frac{4}{2}$ in. long.

T PLATES.



No. 90. 4½ x 5 in. Malleable Iron.

STRAIGHT IRONS.



No. 995. Wrought Steel.

Length	21/2	3	4	5	6 in.
Width	5/8	3/4	7/8	1	1 1/8 in.



ZINC GLAZIERS' POINTS.



No. o.





No. 1.



No. 2.



No. 3.

Triangular.



No. o.



No. 1.




No. 2.




No. 3.

In bulk or 1/2 lb. papers.


PANEL POINTS.



1/2 x 11/4 in.



3/4 x 1 in.





3/4 x 7/8 in. 1/2 x 7/8 in.



7 x 3/4 in.

No. 17 English Standard Gauge. In bulk or 10-lb. boxes.

CORRUGATED STEEL FASTENERS.










1/4 in. No. 2. 3% in. No. 3.

1/2 in. No. 4.

5% in. No. 5.





Illustrations show method of fastening.

It is unnecessary to call the attention of the practical manufacturer and mechanic to the many uses to which this simple device can be put, as we believe its manifold advantages can be seen at a glance, while its low price commends it in numberless instances as a cheap and efficient substitute for glue, dowels, nails, screws, etc.

PRICES PER THOUSAND

Number of	Inches in Depth								
Corrugations	3 & 1/4	3/8	1/2	5/8	3/4	7/8	1		
2 3 4 5 6 7	\$0.45 .60 .75 .90 1.10 1.30	\$0.55 .75 .95 1.20 1.40 1.60	\$0.60 .80 1.00 1.25 1.50 1.80	\$0.80 1.00 1.25 1.55 1.85 2.20	\$0.90 1.15 1.45 1.80 2.15 2.50	\$1.00 1.35 1.75 2.15 2.55 3.00	\$1.15 1.45 1.85 2.30 2.85 3.35		

Packages contain 500 Fasteners each, excepting 34 and 78 in. Nos. 6 and 7 and 1 in. Nos. 4 to 7, which contain 250 each. In ordering, give depth and number, as ½ in. No. 4, etc.

TO STATE OF THE PARTY OF	List of	IF			SCREW	7S	Patented	
No. of Contract of	Jan. 1, 1900 P1			rice per	Gross	N	May 30, 1876	
	Inch No. \$ 0 63 0 2 63 0 3 63 4 63 0 4 63 0 5 80 1 4 Inch No. \$ 80 4 83 5 91 6 98 7 105 0 9 1 120 11 1 30 12 1 40 13 1 555 14 1 75 15 2 2 30 17 2 55 18 2 2 4 4 75 18 2 80 9 20 3 35 22 4 4 75 18 2 80 9 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3% Inch No. \$ 0 63 1 63 2 63 3 63 3 63 6 64 7 71 8 80 9 84 1½ Inch No. \$ 90 6 105 0 7 110 8 120 0 7 110 1 140 1 155 1 13 170 1 14 190 1 15 2 20 1 16 2 45 1 18 3 15 2 2 3 5 0 2 4 4 95 3 ½ Inch No. \$ 8 3 50	1/2 Inch No.	2 63 3 63 4 63 5 67 7 78 8 8 85 9 88 10 91 11 95 12 105 14 115 2 Inch No. \$ 130 6 135 7 140 8 150 9 156 11 170 11 170 11 1 70 11 2 180 13 2 05 14 2 35 15 2 65 17 3 385 *20 4 40 *22 4 80 *24 5 50 4½ Inch	3 64 5 70 7 82 8 8 88 9 92 10 97 11 105 12 110 13 115 14 125 15 140 16 165 2½ Inch No. \$5 6 150 7 155 8 160 7 155 8 160 10 175 11 185 12 200 13 220 14 245 15 285 16 325 17 355 18 410 19 20 485 22 525 24 575	4 70 5 82 7 87 8 9 95 10 105 11 110 12 115 13 125 14 135 15 160 16 185 2½ Inch No. 175 6 180 7 188 8 190 9 200 11 215 12 225 13 240 11 2 15 13 3 40 11 35 12 30 15 160 17 3 75 18 4 35 18 4 35 19 20 22 5 6 50	1 Inch No. \$ 3 73 4 76 5 80 7 93 8 105 10 115 11 125 13 140 14 160 15 185 *16 210 17 230 *5 18 265 234 Inch No. \$ 8 2 35 234 Inch No. \$ 8 2 30 9 2 35 10 2 40 11 2 2 55 13 2 45 11 2 2 56 11 4 05 15 3 65 17 4 05 18 4 75 20 2 6 60 21 7 40	
	7 2 65 8 2 70 9 2 75 10 2 85 12 2 90 13 3 300 14 3 15 15 3 40 16 3 85 17 4 40 18 6 15 22 6 85 24 7 70 26 9 40	9 3 60 10 3 70 11 3 80 12 3 95 13 4 05 14 4 15 15 4 35 16 4 60 17 4 95 18 5 75 20 6 80 22 7 60 24 8 75 26 10 60	9 4 50 10 4 60 11 4 70 12 4 80 13 4 90 14 5 20 16 5 35 17 6 05 18 6 75 20 7 85 22 10 05 24 10 05 26 12 10 28 14 10 30 16 25	No. \$ 12 610 13 620 14 635 15 665 16 690 17 725 18 785 20 870 22 10 15 24 11 65 26 13 80 28 15 95 30 18 10	5 Inch No. \$ 12 710 13 730 14 760 15 800 16 840 17 880 18 940 20 10 10 22 11 70 24 13 25 26 15 75 28 17 80 30 20 00	6 Inch No. \$7 12 9 00 14 9 30 15 9 90 16 10 90 17 11 25 18 12 65 20 13 80 22 15 00 24 16 20 26 20 00 28 22 55 30 25 15	*The number of Gross in Bundle is indicated by small figures on the side, divided by a star (*).	

The following varieties of Iron Screws are invoiced from this list at varying discounts: Flat, Round, Piano, Fillister and Oval Head Screws, Dowel and Felloe Screws, Bright, Blued, Brassed, Bronzed, Japanned, Lacquered and Tinned, also Rogers and Diamond Point Drive Screws.

Iron, Nickel-plated Screws also take this List



BRASS WOOD SCREWS

List of Jan. 1, 1891 Extended Nov. 10, 1898

Price per Gross

Patented May 30, 1876

Extended	Nov. 10, 1898			M	ay 30, 1876	
14 Inch No. \$ 0 80 1 80 2 84 3 87 4 91 5 97	3/8 Inch No. \$ 0 80 1 82 2 86 3 89 9 4 95 7 5 103 6 110 7 120 8 135 11/2 Inch No. \$ 4 285 5 290	1/2 Inch No. \$ 1 86 2 89 3 93 4 103 5 110 6 120 7 130 8 150 9 170 10 1 90 13/4 Inch No. \$ 6 3 75	5% Inch No. \$ 1 91 2 91 3 99 4 106 5 120 6 130 7 150 9 190 10 215 11 240 12 265 13 300 14 335	34 Inch No. \$ 2 1 06 3 1 10 4 1 15 5 1 30 6 1 45 7 1 60 8 1 90 2 9 2 15 10 2 40 11 2 3 300 13 3 35 12 3 70 15 4 10	% Inch No. \$ 2 1 35 3 1 40 4 1 450 6 1 55 7 1 80 8 2 205 9 2 35 10 2 65 11 2 95 12 3 35 12 3 37 14 4 10 15 4 5 5 16 5 05	1 Inch No. \$ 3 155 4 160 5 165 6 170 7 195 8 230 9 2260 10 295 11 3365 12 365 13 410 14 455 15 500 *16 555
No. \$ 3 2 05 4 2 10 5 2 15 6 2 20 7 2 25 6 8 2 65 9 3 00 10 3 25 11 3 85 12 4 35 13 4 85 14 5 35 15 5 95 16 6 55 17 7 20 18 7 85 20 9 35	4 285 5 290 6 295 9 3 45 10 3 95 11 4 45 *12 5 00 13 5 60 14 6 25 15 6 90 16 7 60 17 8 35 18 35 18 9 18 20 10 88 22 12 65	6 375 8 385 9 390 *10 445 11 505 12 570 13 635 14 7.10 15 795 16 865 17 950 18 1045 20 1240 22 1450 24 16 85	15 3 70 16 4 10 2 Inch No. \$ 4 80 7 4 85 8 4 90 9 4 95 10 5 00 11 5 65 12 6 40 13 7 15 14 7 95 15 8 80 16 9 75 17 10 70	16 4 50 2¼ Inch No. \$ 8 685 9 690 10 695 11 700 12 705 13 790 14 880 15 980 16 10 75 17 11 90 18 13 00	2½ Inch No. \$ 9 940 10 950 11 955 12 965 13 965 14 970 *15 1075 16 11 85 17 13 00 18 14 30 20 16 95	"17 6 65 234 Inch No. \$ 9 11 50 10 11 65 12 11 70 13 11 75 13 11 75 16 12 00 17 14 20 18 15 65 20 18 40
3 Inch No. \$ 10 13 70 11 13 75 12 13 80 13 13 85 14 13 95 15 13 95 16 14 00 17 15 40 20 19 95 22 23 40 24 27 10 26 31 15 28 35 85 30 41 18	3½ Inch No. \$ 10 15 85 11 15 95 13 16 00 14 16 05 15 16 10 16 16 20 17 17 70 18 19 40 20 22 75 22 26 90 24 31 20 26 35 80 28 41 20 30 47 45	4 Inch No. \$ 12 18 40 13 18 60 14 18 80 15 19 00 16 19 20 17 20 35 18 22 30 22 26 90 22 30 80 24 36 00 26 40 70 28 47 35 30 54 56	*18 11 70 *20 13 90 *22 16 30 24 18 90 4 ½ Inch No. \$ 14 22 40 15 22 60 16 22 80 17 23 40 *18 25 75 *20 30 90 22 35 40 26 46 80 28 54 40 30 62 70	*20 15 40 22 18 05 24 20 95 5 Inch No. \$ 16 25 60 17 26 90 18 29 60 20 35 50 22 40 70 24 47 60 26 53 80 28 62 60 30 72 15	-6 Inch No. \$ 16 28 20 17 31 00 18 34 05 20 40 80 122 46 80 24 54 75 26 61 90 28 72 95 30 82 95	*The number of Gross in a Bundle is indicated by small figures on the side, divided by a star (*).

The following varieties of Screws are invoiced from this list at varying discounts: Flat, Round, Fillister and Oval Head Screws, of Brass, Copper, Bronze or Phosphor Bronze, Bronzed or Lacquered.

Brass, Nickel-plated Screws also take this list

SCHEDULE OF EXTRAS ON WIRE AND CUT NAILS

ADOPTED DEC. 1, 1896

COMMON

10 12 16d 5 6 8 9 Size, 20 20 10 10 05 05 30 30 Add to Base Price, \$0.70 45 30 to 60d, Base.

For Barbed Wire Nails add 15c. per keg to same size Common.

WIRE				
Fine 2d\$1 00 3d, 1%x15 50 3d, extra fine, 1%x16 65 Smooth	Clinch 2d\$1 05 3d 85 4d and 5d 65 6d and 7d 55 8d and 9d 45 10d to 20d 35			
Finishing 10d and larger 25 8d and 9d 35 6d and 7d 45 5d 65 4d 65 3d 85 2d 1 15	Barrel 34 inch 1 00 76 85 1 70 116 60 114 50 118 40 118 30			
Slating 2d	Barbed Roofing 34 inch 75 75 65 1 60 11/4 55 11/4 45 2 35			
10d and larger 50 Lining in	Barbed Dowel Pins % inch 1 25 34 " 1 00 76 " 85 1 " 70 11% 60 114 " 60 138 " 60			
8d and 9d. 25 6d and 7d. 35 5d. 50 3d. 70 2d. 100 Spikes 3 in. to 9 in. 10	1½ " 60 Light or Heavy Annealed Anchor 4d 95 6d 85 8.1 75 10d and larger 65			

Fence, Shingle, Flooring and Tobacco same as Common. For Barbed Nails add 15c. per keg to

same size smooth.

CIT

CUI				
Flooring, Casing, Box and Finish- ing	Common Barrel and Roofing			
10d & larger \$0 15 8d and 9d 25 6d and 7d 35 5d 50 4d 50 3d 70 2d 1 00	1½ inch\$0 30 1¾ 40 1¼ 50 1¼ 60 1 65 34 75			
Fine Finishing	Slating			
3 in. and larger 25 2½ and 2¾ 35 2 and 2¼ 45 1¾ 65 1½ 65 1¼ 85 1 1 15	6d. 30 5d. 40 4d. 40 3i. 60 2d. 80			
Fine Blued	Clinch and Boat			
4d	3 in. & larger 35 2½ and 2¾ in 45 2 and 2¼ in 55 1½ and 1¾ in 65 1¼ in 85 1 in 1 05			
All sizes 10	Cooper and To-			
Light Barrel and	bacco			
Lining 1 inch	10d			

Fence and Sheathing same as Common.

MISCELLANEOUS WIRE NAIL LIST


Applying to all Nails except Standard Nails in kegs	List of July 20, 1899 Price per Pound	Prices stated are for 1 and 5 lb. packages
Length Gauge Per In. No. 1b. 19 \$1 00	Length Gauge Per In. No. 1b. 8 to 12 . \$0 33	Length Gauge Per In. No. 1b.
14 20 1 25 21 1 55 22 1 90	13 34 14 35 15 36 % 16 39	14 30 1½ { 15 31 16 33 17 38
3/8 \begin{cases} \begin{cases} 18 & \dots & 80 \\ 19 & \dots & 90 \\ 20 & \dots & 1 & 00 \\ 21 & \dots & 1 & 25 \\ 22 & \dots & 1 & 55 \end{cases} \end{cases}	78 16 39 17 43 18 45 19 56 20 67	134 4 to 13 . 28 14 29 15 30 16 32
14 to 16 . 55 17 60 18 65 19 75 20 85 21 1 00 22 1 25	7 to 12. 30 13 31 14 32 15 33 16 36 17 40	$ \begin{array}{c ccccc} & 17 & . & . & . & . & . & . & . & . & . & $
12 to 14 . 43 15 45 16 50 17 52 18 58 19 65 20 75 21 85	18 43 19 53 20 64 7 to 12 . 30 13 31 14 32 15 32	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
22 1 10 10 to 12 . 36 13 38 14 38 15 42 16 43 17 46	1/8 \ 16 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
18 52 19 60 20 70 21 85	1 14 14 14 31 15 32 16 34 17 39	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

BARBED SASH PINS.



No. 8 Wire. 34, 78, 1, 118, 114, and 11/2 in. long.

BARBED BLIND STAPLES.



No. 18 Coppered Wire.

GLUE.

Peter Cooper's. Nos. A Extra, 1 Extra, 1, 1x, 1¼, 1%, 1½, 15%, 1¾, 1%, and 2.

Buffalo. Nos. DB1 and B1.

LIQUID GLUE.

Improved Process. In ½ gill, gill, ½ pint, pint, quart, ½ gallon, gallon, and 5 gallon cans.

Le Page's. In ½ gill, gill, ½ pint, pint, quart, ½ gallon, and gallon cans.



SAND PAPER.

Flint and Garnet.

In sheets 9×11 in. Nos. 00, 0, $\frac{1}{2}$, 1, $1\frac{1}{2}$, 2, $2\frac{1}{2}$, 3, $3\frac{1}{2}$, and 4. (We also handle large quantities of the roll paper.)

DEADENING FELT.

450 Square Feet in a Roll.

6 Square Feet to a pound. 36 in. wide. 9 Square Feet to a pound. 36 in. wide.

SHEATHING PAPER.

Resin Sized.

12 Square Feet to a pound. 36 in. wide. About 500 Square Feet in a Roll.

ROOFING PAPER.

Best Tar.

Ply. 32 in. wide. 324 Square Feet in a Roll.Ply. 32 in. wide. 108 Square Feet in a Roll.




ROOFING TINS.


1½ in. diameter. For fastening all roofing papers to the sheathing boards. The cap is used as a washer for the head of the nail, preventing the nail from cutting the felt or pulling through. A 1 or 1½ in. No. 12 Barbed Wire Nail will answer all purposes. We will not send nails with tins unless so specified in order.




WEATHER STRIP.



No. 2.




No. 3.



No. 4.



No. 5.



No. 6.

Walnut, Ash, or Red Cherry. Not * Polished.

- No. 2. For bottoms of light inside doors.
- No. 3. For lower sash of lift windows.
- No. 4. For double doors.
- No. 5. For upper sash of lift windows.
- No. 6. For closing joint between two windows.

* We can also furnish Polished Weather Strip, but it is not carried in stock.



WEATHER STRIP.





No. 7.


No. 8.

Walnut, Ash, or Red Cherry. Not *Polished.

No. 7. For double and single doors and French windows.

No. 8. For heavy doors where too much warped to admit use of No. 7.

* We can also furnish Polished Weather Strip, but it is not carried in stock.



Metallic.

No. 2. ½ in. wide. No. 3. 5% in. wide.




Elastic.

No. 7. ½ in. wide. No. 8. 5% in. wide.



ELECTRIC CALL BELL OUTFIT.




No. 1. This set contains


One Iron Box Bell, 2½ in. gong, One cell Dry Battery. One Wooden Push Button, Fifty Feet Insulated Wire, Necessary Staples.

Full instructions are packed with each set.

ELECTRIC BELLS.



No. 189.




No. 18.

- 2½, 4, and 5 in. Japanned Iron Box, Nickel-plated Gong. Pivoted Armature, Double Adjustment.
 2½ in. Style of No. 2, but with Dome Gong.
 1¾ in. Nickel-plated Box and Gong. No. 189.
- No. H.
- No. 18.




ELECTRIC BELLS.




No. 6. 4, 5, 6, and 8 in. Japanned Iron Frame, Cast Bell Metal Gong, Nickel Plated. Pivoted Armature.

BUZZERS.








Style C.

Style C. Wood Base, Nickel-plated Cover, and Binding Posts.

Style H. Iron Box, Nickel-plated Cover, Pivoted Armature, Double Adjustment.

AUTOMATIC DROPS.




Style B. Iron, Japanned.

These Drops are used for closing a bell circuit automatically, and holding it closed as long as desired. Placed in a bell circuit, when the circuit is closed by a push button or a door or window spring, the circuit closer drop, operated by an electro-magnet, falls and holds the circuit until it is raised again.



ELECTRIC DOOR OPENERS.

(Full-size Cut.)




No. 154. Iron Back, Brass Side and Front. The patent anti-friction roller enables it to be used for very heavy doors, with small battery power. Each one carefully tested under heavy pressure. 3_{16}^{5} x $1\frac{1}{4}$ in. Front.




ELECTRIC DOOR OPENERS.


SCHNEIDER'S PATENT.




No. 126. Bronze Front. Can be used on either Right or Left Hand Doors. Complete with Push-out Spring and Screws.



Double. Old Style.




Single. Small.




Single. Large.

DOOR SPRINGS.



Cylindrical.




Double. Patent.




SWITCHES.

(Full-size Cuts.)



Crown. Single Point; Ash, Cherry, or Antique Oak.



No. 1. Single Point; Ash, Cherry, or Antique Oak. No. 2. Double Point; Ash, Cherry, or Antique Oak.



BATTERIES.



No. 1.



No. 2,



No. 3.

- No. 1. "Gonda" Porous Cup. 8 in. high, 4½ in. square.
- No. 2. "Gonda" Carbon. 8 in. high, 4½ in. square.
- No. 3. Carbon Cylinder. Open Circuit.

For Sal Ammoniac and Extra Zincs see following page.



DRY BATTERIES.



No. 5. "Mesco." 2½ x 7 in. For Call Bells, Annunciators, Burglar Alarms, Telephones, and all open circuit work.

Extra Zincs for Nos. 1, 2, and 3.

Sal Ammoniac. In 4 oz. or 1 lb. papers or 10 lbs. bulk.



ELECTRICIANS' STAPLES.




½ in. Tinned.

ELECTRIC TAPE.

White. In 1/2 lb. rolls. For covering wire joints.

ANNUNCIATOR WIRE.



No. 18 Gauge. 1 lb. coils. Double Wound, Paraffined. About 160 feet to a lb. Braided in Red, White, or Red and White mixed.




SPEAKING TUBE.



Tin. 1 inch.

ELBOWS.



Round.



Square.

Round or Square. Tin. 1 inch.

HOOKS.



Wrought Iron.

STRAPS.




Tinned.




MOUTHPIECES.

(Full-size Cuts.)



No. 33. Porcelain.



No. 52. Nickel. With Indicator and Whistle. No. 158. Porcelain. With Indicator and Whistle.

E illustrate on the following pages goods which we do not carry regularly in stock, but we can procure promptly from the factory.

IN ORDERING, be sure to state design and finish wanted.

HAMMACHER, SCHLEMMER & CO., 209 Bowery, New York, since 1848.



(One-third-size Cuts.)


DESIGN "LENOX."




No. 1392 x 003746.



No. 1411.



No. 01259 x 03724.





(One-third-size Cut.)

DESIGN "LENOX."

Cast Bronze.

Finish No. 1. Polished.

A CONTRACTOR OF THE PROPERTY O

No. 2165.

Finish No. 24. Antique Copper, Dark, Polished, and Relieved.

Finish No. 25. Antique Copper (Sand), Relieved.

No. 1411. 4½ x 2¼ in. Push Button.

No. 2165. 1034 x 234 in. Door Pull. No. 2276. 1034 x 234 in. Push Plate.

No. 2276. 173/4 x 31/2 in. Push Plate.

FRONT DOOR LOCK SETS.

No. 012421/2, Lock. See page 284. Set No. 03724, Knobs. 21/4 x 21/4 in. No. F2000.

No. 01254, Escutcheon. $10\frac{1}{2} \times 2\frac{3}{4}$ in. No. 1104, Escutcheon. $2\frac{1}{8} \times 1\frac{1}{8}$ in. No. 1104, No. 1700½, Lock. See page 284.

No. 003746, Knobs. 2½ x 2¼ in.

No. 1392, Escutcheon. $10\frac{1}{2} \times 2\frac{3}{4}$ in. No. 1393\frac{1}{2}, Escutcheon. $7 \times 2\frac{3}{8}$ in. With No. F2100. Thumb Knob.

VESTIBULE DOOR LOCK SETS.

No. 01247½, Latch. See page 285. No. 03724, Knobs. 2¼ x 2¼ in. No. 01259, Escutcheon. 7 x 2¾ in. Set No. V2050.

No. 1705½, Latch. See page 285. No. 03746, Knobs. 2½ x 2¼ in. No. 1395, Escutcheon. 8½ x 2½ in.


STORE DOOR LOCKS AND HANDLES.

No. 2342 x 15451/2. Handle No. 2342, 173/4 x 31/2 in. Lock No. 15451/2. See page 90.




(One-third-size Cuts.)

DESIGN "ARLINGTON."




No. 1392 X 002846.



No. 01259 x 02824.



No. 1105.



No. 1411.



(One-third-size Cut.)

DESIGN "ARLINGTON."

Cast Bronze.

Finish No. 1. Polished.

Finish No. 24. Antique Copper, Dark, Polished, and Relieved.

Finish No. 25. Antique Copper (Sand), Relieved.

No. 1411. 71/4 x 27/8 in. Push Button.

No. 1413. 3½ x 1¼ in. Push Button.

No. 2165. 13½ x 3¼ in. Door Pull. (Mention Hand wanted.)

No. 2276. 131/2 x 31/4 in. Push Plate.

FRONT DOOR LOCK SETS.

Set No. 01242 $\frac{1}{2}$, Lock. See page 284. No. 02824, Knobs. $2\frac{1}{4} \times 2\frac{1}{4}$ in. No. 01254, Escutcheon. 11×3 in. Escutcheon. $4 \times 1\frac{1}{2}$ in.

Set
No. 1700½, Lock. See page 284.
No. 002846, Knobs. 2½ x 2¼ in.
No. 1392, Escutcheon. 13½ x 3¼ in.
No. 01393, Escutcheon. 7 x 2 in. With
Thumb Knob.

VESTIBULE DOOR LOCK SETS.

Set No. 01247½, Latch. See page 285. No. 02824, Knobs. $2\frac{1}{4}$ x $2\frac{1}{4}$ in. No. 01259, Escutcheon. $9\frac{1}{2}$ x $2\frac{1}{2}$ in.

Set No. V2350. (No. 1705½, Latch. See page 285. No. 02846, Knobs. 2½ x 2¼ in. No. 1395, Escutcheon. 11 x 3 in.

STORE DOOR LOCKS AND HANDLES.

No. 2330 x F1145½. Handle No. 2330. 18 x 3 in. Lock No. F1145½. See page 89.

No. 2342 x 1545½. Handle No. 2342. 19¾ x 3¼ in. Lock No. 1545½. See page 90.




No. 2165. Right Hand.




(One-third-size Cuts.)

DESIGN "COLONIAL."




No. 1392 x 002846. No. 01259 x 02824.





No. 1105.



No. 1411.



(One-third-size Cut.)

DESIGN "COLONIAL."

Cast Bronze.

No. 2165. Left Hand. Finish No. 1. Polished.
Finish No. 24. Antique Copper, Dark, Polished, and Relieved.
Finish No. 25. Antique Copper (Sand), Relieved.

No. 1411. 6 x 2% in. Push Button.

No. 2165. 11½ x 2% in. Door Pull. (Mention Hand wanted.)

No. 2276. 11½ x 2% in. Push Plate.

No. 2276. 15 x 2% in. Push Plate.

FRONT DOOR LOCK SETS.

Set
No. 01242½, Lock. See page 284.
No. 02824, Knobs. 2½ x 2½ in.
No. 01254, Escutcheon. 10 x 25% in.
No. 1105, Escutcheon. 2½ x 1½ in.
No. 1700½, Lock. See page 284.
No. 002846, Knobs. 2½ x 2½ in.
No. 0392, Escutcheon. 11½ x 27% in.
No. 01393, Escutcheon. 6½ x 15% in.
With Thumb Knob.

VESTIBULE DOOR LOCK SETS.


STORE DOOR LOCKS AND HANDLES.

No. 2340 x 1545½. Handle No. 2340. 14 x 2¾ in. Lock No. 1545½. See page 90. No. 2342 x 1545½. Handle No. 2342. 18 x 3⅓ in. Lock No. 1545½. See page 90.





(One-third-size Cuts.)

DESIGN "QUINCY."



No. V1392 x 002846. No. 01259 x 02824.





No. 1411.



(One-third-size Cut.)

DESIGN "QUINCY."

Cast Bronze.

Finish No. 35. Antique Brass (Sand), Relieved.

No. 1411. 51/2 x 21/2 in. Push Button.

No. 2168. 11 x 3 in. Door Pull.

No. 2168. 15 x 3 in. Door Pull.

No. 2276. 11 x 3 in. Push Plate. No. 2276. 15 x 3 in. Push Plate.

FRONT DOOR LOCK SETS.

 $\begin{array}{c} \textbf{Set} \\ \textbf{No. F2600.} \end{array} \left(\begin{array}{c} \text{No. } 01242\frac{1}{2}, \ \text{Lock. See page } 284. \\ \text{No. } 02824, \ \text{Knoos. } 2\frac{1}{4} \times 2\frac{1}{4} \text{ in.} \\ \text{No. } 01254, \ \text{Escutcheon. } 9 \times 2\frac{3}{4} \text{ in.} \\ \text{No. } 1105, \ \text{Escutcheon. } 3 \times 1\frac{3}{8} \text{ in.} \end{array} \right)$

Set
No. 1700½, Lock. See page 284.
No. 002846, Knobs. 2½ x 2¼ in.
No. V1392, Escutcheon. 11 x 3 in.
No. V01393, Escutcheon. 6¼ x 17% in.
With Thumb Knob.

VESTIBULE DOOR LOCK SETS.

Set No. V2650. No. 01247½, Latch. See page 285. No. 02824, Knobs. 2¼ x 2¼ in. Escutcheon. 8 x 25% in.

Set No. 1705½, Latch. See page 285. No. 02846, Knobs. 2½ x 2¼ in.

No. V2750. No. V1395, Escutcheon. 9×234 in.

STORE DOOR LOCKS AND HANDLES.

No. 2341 x 1545½. Handle No. 2341. 15 x 3 in. Lock No. 1545½. See page 90.

No. 2341.



(One-third-size Cuts.)

DESIGN "BELFORT."





No. 01259 X 02824.

No. 1411.



(One-third-size Cut.)

DESIGN "BELFORT."

Cast Bronze.

Finish No. 24. Antique Copper, Dark, Polished, and Relieved.

Finish No. 25. Antique Copper (Sand), Relieved.

No. 1411. 7 x 23/4 in. Push Button.

16 x 31/4 in. Door Pull. (Mention Hand No. 2165.

wanted.)

16 x 31/4 in. Push Plate. No. 2276.

FRONT DOOR LOCK SETS.

No. 01242 $\frac{1}{2}$, Lock. See page 284. No. 02824, Knobs. $2\frac{1}{4} \times 2\frac{1}{4}$ in. Set

No. F2800.

No. 01254, Escutcheon. 12 x 2¾ in. No. 1105, Escutcheon. 3 x 1¾ in. No. 1105,

No. 1700½, Lock. See page 284.

No. 002846, Knobs. 2½ x 2¼ in. Set

No. 1392, Escutcheon. 16 x 31/4 in. No. F2900. No. 01393, Escutcheon. 63/4 x 13/4 in.

With Thumb Knob.

VESTIBULE DOOR LOCK SETS.

No. 01247½, Latch. See page 285.

No. V2850. No. 02824, Knobs. 2¼ x 2¼ in. No. 01259, Escutcheon. 9¾ x 2¾ in.

No. 17051/2, Latch. See page 285.

No. 02846, Knobs. 2½ x 2¼ in. No. 1395, Escutcheon. 13 x 2⅓ in. No. V2950.

STORE DOOR LOCKS AND HANDLES.

No. 2330 x F11451/2. Handle No. 2330. 221/8 x 3 in. Lock No. F11451/2. See page 89.


No. 2342 x 1545½. Handle No. 2342. 22% x 3¼ in. Lock No. 15451/2. See page 90.

No. 2165. Right Hand.



FRONT DOOR MORTISE LOCKS.

(One-third-size Cuts.)




No. 17001/2.

No. 012421/2.

- No. 01242½. 4¾ x 3½ in. Bronze Front, Strike, and Bolt. 25% in. from Front to Center of Keyhole. 1 Tumbler on each Bolt, 12 Changes, with 2 Night Keys and 1 Main Key. Hub for 5/16 in. Swivel Spindle. Reversible by taking off Cap Plate.
- No. 1700½. 6¾ x 4 in. Bronze Front, Strike, Bolts, and Cylinder. 3 in. from Front to Center of Keyhole. 3 German Silver Keys. Hub for ¾ in. Swivel Spindle. In ordering, give Thickness of Door and state whether for Right or Left Hand Doors.


VESTIBULE DOOR MORTISE LATCHES.

(One-third-size Cuts.)



No. 01247½. 3¼ x 3½ in. Bronze Front, Strike, and Bolt. 25% in. from Front to Center of Keyhole. 1 Tumbler, 12 Changes, with 2 Night Keys. Hub for 5/16 in. Swivel Spindle. Reversible by taking off Cap Plate.

No. 1705½. 5 x 4 in. Bronze Front, Strike, Bolt, and Cylinder. 3 in. from Front to Center of Keyhole. 3 German Silver Keys. Hub for ¾ in. Swivel Spindle. In ordering, give Thickness of Door and state whether for Right or Left Hand Doors.





Important.

GLASS KNOBS.

LASS KNOBS (excepting those having D and S added to numbers) are regularly made with $^{5}/_{16}$ in. spindle. They can be made with $^{12}/_{16}$ in. shank to fit any of the escutcheons shown in this catalogue at an additional cost. (See Price List.) They can also be furnished with a closet spindle or with spindle to receive metal knob on one end.

The smaller sizes of Glass Knobs (having the letters D and S added to numbers) are fastened with a machine screw.


In our Price List we only give prices for Brass and Bronze Polished and Old Brass Finish Trim, although we can furnish any other finish wanted at a slight advance in price.

IN ORDERING, it is important to give finish wanted, thickness of door, and whether or not to fit an escutcheon. We will always send knobs with regular 5/16 in. spindle unless ordered otherwise.

HAMMACHER, SCHLEMMER & CO.,


209 Bowery, New York, since 1848.

MEASUREMENTS OF GLASS KNOBS. DOOR, about 2¼ in. DRAWER, about 1¼ in. SHUTTER, about 1¼ in.




Pressed Glass, round, flat top, plain.

No. 1. Door. No. 1D. Drawer. No. 1S. Shutter.




Pressed Glass, silver filled, round, flat top, plain.

No. 12. Door. No. 12D. Drawer. No. 12S. Shutter.




Pressed Glass, round, flat top, plain, with silver center.

No. 14. Door. No. 14D. Drawer. No. 14S. Shutter.




White Porcelain, round, flat top, plain.

No. 3. Door. No. 3D. Drawer. No. 3S. Shutter.




Pressed Glass, ball, plain. with silver center.

No. 17. Door. No. 17D. Drawer. No. 17S. Shutter.




Pressed Glass, ball, plain.

No. 11. Door. No. 11D. Drawer. No. 11S. Shutter.




Pressed Glass, ball, flecked.

No. 32. Door. No. 32D. Drawer. No. 32S. Shutter.




Cut Glass, ball.

No. 10. Door. No. 10D. Drawer. No. 10S. Shutter.




Pressed Glass, octagon, flat top, with silver center.

No. 16. Door. No. 16D. Drawer. No. 16S. Shutter.




Pressed Glass, octagon, flat top, plain.

No. 4. Door. No. 4D. Drawer. No. 4S. Shutter.




Cut Glass, octagon, flat top, plain.

No. 7. Door. No. 7D. Drawer. No. 7S. Shutter.




(As No. 7, but deeper.)
Cut Glass, octagon, flat
top, plain.

No. 9. Door. No. 9D. Drawer. No. 9S. Shutter.




Cut Glass, round, fancy, flat top with silver center.

No. 18. Door. No. 18D. Drawer. No. 18S. Shutter.




Pressed Glass, round, fancy, concave top.

No. 6. Door. No. 6D. Drawer. No. 6S. Shutter.



Cut Glass, round, flat top.

No. 21. Door. No. 21D. Drawer. No. 21S. Shutter.




Cut Glass, round, fancy, with silver center.

No. 19. Door. No. 19D. Drawer. No. 19S. Shutter.




PLATE ESCUTCHEONS.


(Full-size Cuts.)



No. 2663.



No. 054981/2.



No. 2664.



No. 051181/2.

-10004.						210. 05110/2.				
No.	2663.	Cast	Bronze	or	Brass,	Polished	or	Old	Brass	Finish.
No.	2664.	Cast	Bronze	or	Brass,	Polished	or	Old	Brass	Finish.
No.	051181/2.	Cast	Bronze	or	Brass,	Polished	or	Old	Brass	Finish.
No.	054981/2.	Cast	Bronze	or	Brass,	Polished	or	Old	Brass	Finish.

E are also very large handlers of the following lines:—Cabinet, Piano, Refrigerator and Bar Hardware; Tools for all Trades, including Machinists' and Metal Workers' Tools, Carpenters' and General Wood Workers' Tools, Piano Tuners' and Wood Carvers' Tools, and for several years have made a specialty of Tools and Benches for Manual Training and Technical Schools.

We issue separate catalogues of nearly all these lines, which we distribute upon reasonable terms—write for particulars.

HAMMACHER, SCHLEMMER & CO., 209 Bowery, New York, since 1848.

